

Soybean Variety Listing - January 2009

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
Maturity Group: 0				
A4	Asgrow AG 0803	0.8	MR3 MR14	PI-88788
C4	Crow's C0915R	0.9	3 MR14	PI-88788
C5	Croplan Genetics RC 0627	0.6	3 MR14	PI-88788
D8	Dyna-Gro 30R07	0.7	3 MR14	PI-88788
D8	Dyna-Gro V08N3RR	0.8	3 MR14	PI-88788
L3	LG Seeds C 0977 NRR	0.9	MR3	PI-88788
M 6	Midwest G 0931	0.9	3 MR14	PI-88788
N2	NK S08-M8 Brand	0.8	3	PI-88788
N6	NuTech 7065	0.6		PI-88788
N6	NuTech 0801 RN	0.8		PI-88788
N6	NuTech 7095	0.9		PI-88788
N8	NorthStar NS0214NRR	0.2	3	NSG
N8	NorthStar NS0643NRR	0.6	3 MR14	NSG
N8	NorthStar NS0064NRR	0.7	3 MR14	NSG
N8	NorthStar NS0914NRR	0.9	MR3	NSG
P 2	Pioneer 90Y41	0.4	3	PI-88788
P 2	Pioneer 90M80 RR	0.8	MR1 3	Peking
P 3	Prairie Brand PB-0885 NRR	0.8	3	PI-88788
P 3	Prairie Brand PB-0817NRR	0.8	3 MR14	PI-88788
P 8	Public Variety, MN 0902 CN	0.9	3	PI-88788
S8	Stine 0562-4	0.5		PI-88788
S8	Stine 0072-24	0.7		PI-88788
Z1	Ziller BT 7083 NR	0.8	3 14	PI-88788

Maturity Group: 1

A3	AgVenture AV 15P6 NRR	1.5	MR3 MR14	PI-88788
A3	AgVenture VPMmax 18X1RR	1.8		Peking
A3	AgVenture AV 18G8 NRR	1.8	3 MR14	PI-88788
A3	AgVenture AV 19P1 NRR	1.9	MR3	PI-88788
A4	Asgrow AG 1506	1.5	MR3	PI-88788
A4	Asgrow AG 1703	1.7	MR3	PI-88788
A4	Asgrow AG 1802	1.8	MR3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
A4	Asgrow AG 1906	1.9	MR3	PI-88788
A8	Albert Lea Viking 1788 NRR	1.7	3 14	PI-88788
A8	Albert Lea Viking 1929 NRR	1.9	3 4	PI-88788
A8	Albert Lea Viking 1908 CNRR	1.9	3 14	PI-88788
A8	Albert Lea Viking 193NRR	1.9		88788&Hartwig&Pek
B5	Bio Gene BG 1405 NRR	1.3	3 MR14	PI-88788
B5	Bio Gene BG 1506 RN	1.5	3	PI-88788
B5	Bio Gene BG 1705 NRR	1.7	3	PI-88788
B7	Bayside 197 NRR	1.9	3 14	PI-88788
C4	Crow's C 1415 R	1.4	MR3 MR14	PI-88788
C4	Crow's C 1617R	1.6	3 MR14	PI-88788
C4	Crow's C 1815 R	1.8	3 MR14	PI-88788
C4	Crow's C 1816R	1.8	3 MR14	PI-88788
C5	Croplan Genetics RC 1320	1.3	3 MR14	PI-88788
C5	Croplan Genetics RC 1516	1.5	3 MR14	Other
C5	Croplan Genetics RC 1820	1.8	3 MR14	PI-88788
C8	Champion CS1970 CN	1.9		PI-88788
C8	Champion CS198 NRR	1.9		PI-88788
D8	Dyna-Gro 36B14	1.4	3 MR14	PI-88788
D8	Dyna-Gro V15N8RR	1.5	3 MR14	PI-88788
D8	Dyna-Gro V18N4RR	1.8	3 MR14	PI-88788
D8	Dyna-Gro V18N8RS	1.8	3	PI-88788
D8	Dyna-Gro 33X19	1.9	3 MR14	PI-88788
E2	Excel 8196NNRR/STS	1.9	3	PI-88788
G5	Great Lakes GL 1809 RR	1.8	3 14	PI-88788
G5	Great Lakes GL 1919 RR	1.9	3 MR14	PI-88788
H7	Hubner H 188 NRR	1.8	3	PI-88788
K1	Kaltenberg KB 177 RR	1.7	3 14	PI-88788
K1	Kaltenberg KB 196 RR	1.9	3 14	PI-88788
K1	Kaltenberg KC 194	1.9	3	PI-88788
K3	Kruger K-189RR/SCN	1.8	3	PI-88788
K3	Kruger K-195+RR/SCN	1.9	3 4(14)	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
L1	Latham L 1401RX	1.4	All	CystX
L1	Latham E 1538 R	1.5	3 14	PI-88788
L1	Latham E 1738 R	1.7	3 14	PI-88788
L1	Latham E 1958 R	1.9	3 14	PI-88788
L1	Latham E 1983 R	1.9	3 14	PI-88788
L3	LG Seeds C 1945 NRR	1.9	3 MR14	PI-88788
M 4	Merschman Mars 819RR	1.9	3 MR14	PI-88788
M 6	Midwest GR 1431	1.4	MR3 MR14	PI-88788
M 6	Midwest GR 1632	1.6	3 MR14	PI-88788
M 6	Midwest GR 1833	1.8	3 MR14	PI-88788
M 6	Midwest GR 1831	1.8	3 MR14	PI-88788
M11	Mycogen Atlas 5N153RR	1.5	3 MR14	PI-88788
M11	Mycogen Atlas 5N152RR	1.5	3 MR14	PI-88788
N1	NC+1A63RR	1.6	3 MR14	PI-88788
N1	NC+1A81RR	1.8	3 MR14	PI-88788
N1	NC+1A82 RR	1.8	3 MR14	PI-88788
N2	NK S13-K2 Brand	1.3	3 MS14	PI-88788
N2	NK H-1604 RR Brand	1.6	3 MR14	PI-88788
N2	NK S15-E3 Brand	1.7	3 MR14	PI-88788
N2	NK H-1852RR Brand	1.8	3 14	PI-88788
N2	NK S19-L7 Brand	1.9	3	PI-88788
N6	NuTech NT-1212 RR	1.3		PI-88788
N6	NuTech NT-7146	1.4		PI-88788
N6	NuTech NT-7154	1.5		PI-88788
N6	NuTech 1617 RN	1.6	3 MR14	PI-88788
N6	NuTech NT-1717 RN	1.7	3 MR14	PI-88788
N6	NuTech NT 7186	1.8		PI-88788
N6	NuTech NT-1808 RN	1.8		PI-88788
N6	NuTech NT-7193+ RN	1.9		PI-88788
N8	NorthStar NS1423NRR	1.4	3 MR14	NSG
N8	NorthStar NS1521NRR	1.5	3 14	NSG
P 2	Pioneer 91Y21	1.2	3	PI-88788
P 2	Pioneer 91Y70	1.7	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
P 2	Pioneer 91Y80	1.8	3	PI-88788
P 2	Pioneer 91M80 RR	1.8	3 14	PI-88788
P 2	Pioneer 91Y91	1.9	MR1 3	Peking
P 3	Prairie Brand PB-1557 NRR	1.5	3	PI-88788
P 3	Prairie Brand PB-1585 NRR	1.5	3	PI-88788
P 3	Prairie Brand PB-1578NRR	1.5	3 MR14	PI-88788
P 3	Prairie Brand PB-1885 N	1.8	3	PI-88788
P 3	Prairie Brand PB-1887NRRSTS	1.9	3	PI-88788
P 3	Prairie Brand PB-1958NRR	1.9	3 MR14	PI-88788
P 5	Public Variety IA 1008LF	1.0	3	PI-88788
P 5	Public Variety IA 1008 LF	1.0	3	PI-437654
P 5	Public Variety IA 1008	1.7	3	PI-88788
P 8	Public Variety, MN 1011 CN	1.0	3	PI-88788
P 8	Public Variety, MN 1006CN	1.0	3	PI88788&PI1209332
P15	Public Variety, SD 1161 RR/SCN	1.6	3	PI-88788
R3	Renk Seed RS 179 NRR	1.7	MR14	PI-88788
S 6	Stewart SB 1875R	1.8	3	PI-88788
S13	Sands SOI 1874NRR	1.8	3 MR14	PI-88788
S8	Stine 1423-4	1.4		PI-88788
S8	Stine 1832-4	1.8	8.5	PI-88788
S8	Stine 1932-4	1.9	8	PI-88788
T5	Trisler Trisoy 1877RR(CN)	1.8	3 MR14	PI-88788
T6	Trelay 2135 RR	1.3	3 MR14	PI-88788
T6	Trelay 2165 RR	1.6	MR	PI-88788
W4	Welter WS 1976	1.9	LR3	PI-88788
Z1	Ziller BT 7119NR	1.1	LR3	PI-88788
Z1	Ziller BT 7156 NR	1.5	3 14	PI-88788
Z1	Ziller BT 7159NR	1.5	3 MR14	PI-88788
Z1	Ziller BT 7186 NR	1.8	3 14	PI-88788
Maturity Group: 2				
A1	Adler 284 NRR	2.8		PI-88788
A3	AgVenture AV 20G0 NRR	2.0	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
A3	AgVenture AV 22X2 RR	2.2		PI-88788
A3	AgVenture AV 22P8 NRR	2.2		PI-88788
A3	AgVenture AV 24X4 RR	2.4		PI-88788
A3	AgVenture AV 26P2 NRR	2.6		PI-88788
A3	AgVenture AV 26X6 NRR	2.6		PI-88788
A3	AgVenture VPM maxx 26X1 RR	2.6		PI-88788
A3	AgVenture AV 27G7 NRR	2.7	3 MR14	PI-88788
A3	AgVenture AV 28T8 NRR	2.8	3 MS14	PI-88788
A3	AgVenture AV 28X3 RR	2.8		PI-88788
A3	AgVenture AV 29P7 NRR	2.9		PI-88788
A3	AgVenture AV 29G9 NRR	2.9	3	PI-88788
A4	Asgrow AG 2002	2.0	MR3	PI-88788
A4	Asgrow AG 2110	2.1	MR1 3 5	Peking
A4	Asgrow AG 2107	2.1	3	PI-88788
A4	Asgrow AG 2108	2.1	MR3	PI-88788
A4	Asgrow AG 2222V	2.2	MR3	PI-88788
A4	Asgrow AG 2406	2.4	MR3	PI-88788
A4	Asgrow AG 2422V	2.4	MR3	PI-88788
A4	Asgrow AG 2423V	2.4	MR3	PI-88788
A4	Asgrow DKB 24-52	2.4	MR3	PI-88788
A4	Asgrow AG 2521V	2.5	MR3	PI-88788
A4	Asgrow AG 2622V	2.6	MR3	PI-88788
A4	Asgrow AG 2606	2.6	MR3	PI-88788
A4	Asgrow AG 2607	2.6	MR3	PI-88788
A4	Asgrow DKB 27-52	2.7	MR3*	PI-88788
A4	Asgrow AG 2802	2.8	3	PI-88788
A4	Asgrow AG 2822V	2.8	3	PI-88788
A4	Asgrow AG 2921V	2.9	MR3	PI-88788
A4	Asgrow AG 2909	2.9	MR3	PI-88788
A4	Asgrow AG 2906	2.9	MR3	PI-88788
A5	Agrinetics Excell 8236 NRR	2.3	LR3	NSG
A5	Agrinetics Excell 8238 RR	2.3		NSG

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
A5	Agrinetics Excell 8259 RR	2.5		PI-88788
A5	Agrinetics Excell 8273 RR	2.7		NSG
A5	Agrinetics Excell 8287 RR/STS	2.8		PI-88788
A5	Agrinetics Excel 8274 NRR	2.8	MR3	PI-88788
A5	Agrinetics Excel 8288 NN RR	2.8	LR1 3	NSG
A5	Agrinetics Excell 8297 NRR	2.9	3 MR4	NSG
A6	AGI 23RN01	2.3		PI-88788
A6	AGI 28RN07	2.8	3 MR14	PI-88788
A6	AGI 28RN08	2.8	MR3 MR14	PI-88788
A6	AGI 29RN06	2.9	3 MR14	PI-88788
A6	AGI 29RN04	2.9	3 14	PI-88788
A8	Albert Lea Viking 2088 NRR	2.0	3 14	PI-88788
A8	Albert Lea Viking 2171CN	2.1		Peking
A8	Albert Lea Viking 2238 NRR	2.2	3 14	PI-88788
A8	Albert Lea Viking 2369NRR	2.3	3	PI-88788
A8	Albert Lea Viking 2598 NRR	2.5	3 14	PI-88788
B1	Beck 244 NRR	2.4	3 MR14(4)	PI-88788
B1	Beck 257NRR	2.5	3 MR14(4)	PI-88788
B1	Beck 274NRR	2.7	3 MR14	PI-88788
B1	Beck 287 NRR	2.9	3 MR14(4)	PI-88788
B1	Beck 298CRR	2.9	1 3 5	Peking
B1	Beck 296 NRR	2.9	3 MR14(4)	PI-88788
B4	BoJac Mavrick 8255 RR	2.5	3 MR14	PI-88788
B4	BoJac Mavrick 7270 RR	2.7	3 MR14	PI-88788
B4	BoJac Mavrick 5284 RR	2.8	3 MR14	PI-88788
B5	Bio Gene BG 2005 NRR	2.0	3	PI-88788
B5	Bio Gene BG 2002 NRR	2.0	3 14	PI-88788
B5	Bio Gene 2405 NRR	2.4	3	PI-88788
B5	Bio Gene BG 2406 NRR	2.4	3	PI-88788
B5	Bio Gene BG 2802 NRR	2.8	3 14	PI-88788
B5	Bio Gene BG 2905 NRR	2.9	3	PI-88788
B7	Bayside NB 217 NRR	2.1		PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
B7	Bayside X 222 N	2.2	3 14	PI-88788
B7	Bayside 267 NRR	2.6	3 14	PI-88788
B8	Strike 2406 RR	2.4	3	PI-88788
B8	Strike 2908 RR	2.9	3 MR14	PI-88788
B9	Brodbeck 3710 NRR	2.1	3 MR14	PI-88788
B9	Brodbeck 2740 NRR	2.4	3	PI-88788
B9	Brodbeck 2770 NRR	2.7	3 MR14	PI-88788
C2	Campbell V288 NRR (Vistive)	2.8	3 MR14	PI-88788
C2	Campbell 297 NRR	2.9	3 MR14	PI-88788
C2	Campbell 298 NRR	2.9	3 MR14	PI-88788
C4	Crow's C 2015R	2.0	3 MR14	PI-88788
C4	Crow's C 2115R	2.1	3 MR14	PI-88788
C4	Crow's C 2216 R	2.2	3 MR14	PI-88788
C4	Crow's CV 221 R	2.2	MR3 MR14	PI-88788
C4	Crow's CV 241 R	2.4	MR3 MR14	PI-88788
C4	Crow's C 2417 R	2.4	3 MR14	PI-88788
C4	Crow's C 2515 R	2.5	3 MR14	PI-88788
C4	Crow's C 2718 R	2.7	3 MR14	PI-88788
C4	Crow's CV 282R	2.8	3 MR14	PI-88788
C4	Crow's C 2900R2	2.9	3 MR14	PI-88788
C4	Crow's C 2918 R	2.9	3 MR14	PI-88788
C5	Croplan Genetics RC 2020	2.0	3	PI-88788
C5	Croplan Genetics RC 2068	2.0	3 MR14	PI-88788
C5	Croplan Genetics RC 2287	2.2	3	PI-88788
C5	Croplan Genetics RC 2257	2.2	3 MR14	PI-88788
C5	Croplan Genetics RC 2517	2.5	3 MR14	PI-88788
C5	Croplan Genetics RC 2620	2.6	3 MR14	PI-88788
C5	Croplan Genetics RC 2867	2.8	3 MR14	PI-88788
C5	Croplan Genetics RC 2937	2.9	3 MR14	PI-88788
C8	Champion CS205 NRR	2.0		PI-88788
C8	Champion CS227 NRR	2.2		PI-88788
C8	Champion CS 2380	2.3		PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
C8	Champion CS2350 CN	2.3		PI-88788
C8	Champion CS 239 NRR	2.3		PI-88788
C8	Champion CS2540 CN	2.5		PI-88788
C8	Champion CS 259 NRR	2.5		PI-88788
C8	Champion CS 269 NRR	2.6		PI-88788
C8	Champion CS 279 NRR	2.7		PI-88788
D1	Dairyland DSR 2000/RRSTS	2.0	3 MR14	PI-88788
D1	Dairyland DSR 2850/RRSTSH	2.8	1 3 5	Peking
D1	Dairyland DSR 2929/RR	2.9	3 14	PI-88788
D4	Diener 2580 CR	2.5	3 MR14	PI-88788
D4	Diener 2915 CR	2.9	3 MR14	PI-88788
D4	Diener D 2605 CR	2.6	3 MR14	PI-88788
D7	DeRaedt 2788 NRR	2.7	3	PI-88788
D8	Dyna-Gro 31D20	2.0	3 MR14	PI-88788
D8	Dyna-Gro V20N8RR	2.0	3 MR14	PI-88788
D8	Dyna-Gro 37Y21	2.1	3 MR14	PI-88788
D8	Dyna-Gro 34B22 (Vistive)	2.2	MR3 MR14	PI-88788
D8	Dyna-Gro 38G23	2.3	3 MR14	PI-88788
D8	Dyna-Gro 31K24 (Vistive)	2.4	MR3 MR14	PI-88788
D8	Dyna-Gro V24V9NR (Vistive)	2.4	3 MR14	PI-88788
D8	Dyna-Gro 36D24	2.4	3	PI-88788
D8	Dyna-Gro V24N8RR	2.4	3 MR14	PI-88788
D8	Dyna-Gro V25N9RR	2.5	3 MR14	PI-88788
D8	Dyna-Gro 36K26	2.6	3 MR14	PI-88788
D8	Dyna-Gro V27N8RR	2.7	3 MR14	PI-88788
D8	Dyna-Gro 33D27	2.7	3 MR14	PI-88788
D8	Dyna-Gro 35J27 (Vistive)	2.7	3 MR14	PI-88788
D8	Dyna-Gro 32N28 (Vistive)	2.8	3 MR14	PI-88788
D8	Dyna-Gro 31RY28	2.8	3 MR14	PI-88788
D8	Dyna-Gro V28N8RR	2.8	3 MR14	PI-88788
D8	Dyna-Gro 36C28	2.8	3 MR14	PI-88788
D8	Dyna-Gro V28N9RR	2.8	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
D8	Dyna-Gro 39R29	2.9	3 MR14	PI-88788
E2	Excel 8205 NRR	2.0	MR3	PI-88788
E2	Excel 8203HP	2.0	1 3 5	Peking&Hartwig
E2	Excel 8236 NRR	2.3	MR3	NSG
E2	Excel 8238 NRR	2.3	MR3	NSG
E2	Excel 8260 NNRR	2.6	3	PI-88788
E2	Excel 8271 NRR	2.7	3	PI-88788
E2	Excel 8274 NRR	2.7	MR3	PI-88788
E2	Excell 8288 NRR	2.8	3	PI-88788
F1	Fontanelle 8705 NRR	2.2	3 MR14	PI-88788
F1	Fontanelle 8825 NRR	2.2	MR3	PI-88788
F1	Fontanelle 8665 NRR	2.6	3 MR14	PI-88788
F1	Fontanelle 27L44N	2.7	3 MR14	PI-88788
F1	Fontanelle 8777 NRR	2.7	3 MR14	PI-88788
F1	Fontanelle 8687 NRR	2.8	3 MR14	PI-88788
F2	FS Hisoy HS 2166 (RR)	2.1	3 14	PI-88788
F2	FS Hisoy HS 22V72	2.2	3 14	PI-88788
F2	FS Hisoy HS 22R70	2.2	3 14	PI-88788
F2	FS Hisoy HS 24R70	2.4	3 14	PI-88788
F2	FS Hisoy FS 2766 (RR)	2.7	3 14	PI-88788
F2	FS Hisoy HS 28R72	2.8	3 14	PI-88788
F2	FS Hisoy HS 29R72	2.9	3 14	PI-88788
F2	FS Hisoy HS 30R72	2.9	3 14	PI-88788
G4	Great Heart GT-296 CRR	2.9	MR3 MR14	PI-88788
G5	Great Lakes GL 2119 RR	2.1	3 14	PI-88788
G5	Great Lakes GL 2299 V2	2.2	3 14	PI-88788
G5	Great Lakes GL 2339RR	2.3	3 14	PI-88788
G5	Great Lakes GL 2719 RR	2.7	3 MR14	PI-88788
G5	Great Lakes GL 2899 V2	2.8	3 MR14	PI-88788
G5	Great Lakes GL 2929 RR	2.9	3 14	PI-88788
H3	Hoblit HB 292 NRR	2.9	3 MR14	PI-88788
H5	Horizon H288N RR	2.8	3 MR14	PI-88788
H5	Horizon H291N	2.9	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
H5	Horizon H296 N RR	2.9	3 MR14	PI-88788
H6	Hughes H 211RR	2.1		PI-88788
H6	Hughes H 555RR	2.5		PI-88788
H6	Hughes H 796 RR	2.7	3 MR14	PI-88788
H6	Hughes H 777 RR	2.8	3	PI-88788
H7	Hubner H 258 NRR	2.5	3 14	PI-88788
H7	Hubner H 277 NRR	2.7	MR3	PI-88788
H7	Hubner H 297 NRR	2.9	3 MR14	PI-88788
H7	Hubner H 29-01R2	2.9	3 14	PI-88788
K1	Kaltenberg KB 226 RR	2.2	LR3	PI-88788
K1	Kaltenberg KC 2309	2.3	3	PI-88788
K1	Kaltenberg KB 2409	2.4	3	PI-88788
K1	Kaltenberg KB 249 RR	2.4	3 14	PI-88788
K1	Kaltenberg KC 240	2.4	LR1	PI-88788
K1	Kaltenberg KB 2609	2.6	3 14	PI-88788
K1	Kaltenberg KB 278 RR	2.7	3	PI-88788
K2	Kitchen KSC 2992	2.9	3	PI-88788
K3	Kruger K-201RR/SCN	2.0	3 MR14	PI-88788
K3	Kruger K-204RR/SCN	2.0	3	PI-88788
K3	Kruger K-228RR/SCN	2.2	3	PI-88788
K3	Kruger K-220RR/SCN/LINO	2.2	3	PI-88788
K3	Kruger K-247RR/SCN	2.4	1 3 5	Peking
K3	Kruger K-245RR/SCN/LINO	2.4	3	PI-88788
K3	Kruger K-248RR/SCN	2.4	3	PI-88788
K3	Kruger K-251RR/SCN	2.5	3	PI-88788
K3	Kruger K-263RR/SCN/LINO	2.6	15	PI-88788
K3	Kruger K-274RR/SCN	2.7	3	PI-88788
K3	Kruger K-275RR/SCN	2.7	3 MR14	PI-88788
K3	Kruger K-272RR/SCN/LINO	2.7	3	PI-88788
K3	Kruger K-287RR/SCN	2.8	3 14	PI-88788
K3	Kruger K-285RR/SCN	2.8	3	PI-88788
K3	Kruger K-249RR/SCN	2.9	3	PI-88788
K3	Kruger K-294+RR/SCN	2.9	1 3 5	Peking

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
K3	Kruger K-297RR/SCN	2.9	3	PI-88788
K3	Kruger K-294 RR/SCN	2.9	1 3 5	Peking
L1	Latham E 2083 R	2.0	3 14	PI-88788
L1	Latham L 2038 R	2.0	3 14	PI-88788
L1	Latham E2085R	2.0	3 14	PI-88788
L1	Latham E2158R	2.1	3 14	PI-88788
L1	Latham E 2225 RX	2.2	1 3 5 14	PUSCN-14
L1	Latham E 2238 RV	2.2	3 14	PI-88788
L1	Latham L 2285 R	2.2	3 14	PI-88788
L1	Latham E 2348 R	2.3	3 14	PI-88788
L1	Latham L 2380	2.3	3 14	PI-88788
L1	Latham E 2483 R	2.4	3 14	PI-88788
L1	Latham E 2458 RV	2.4	3 14	PI-88788
L1	Latham E 2528 R	2.5	3 14	PI-88788
L1	Latham E 2658 R	2.6	3 14	PI-88788
L1	Latham E 2683 R	2.6	3 14	PI-88788
L1	Latham E 2680 R	2.6	3 14	PI-88788
L1	Latham L 2620RX	2.6	All	CystX
L1	Latham L 2784 RV	2.7	3 14	PI-88788
L1	Latham E 2887 RV	2.8	3 14	PI-88788
L1	Latham E 2883 R	2.8	3 14	PI-88788
L1	Latham E 2985 R	2.9	3 14	PI-88788
L1	Latham E 2985 R	2.9	3 14	PI-88788
L2	Lewis 2908	2.9		PI-88788
L3	LG Seeds C 2239 NRR	2.2	3 MR14	PI-88788
L3	LG Seeds L 2568 NRR	2.5	3 MR14	PI-88788
L3	LG Seeds L 2650 NRR Vistive	2.6	3 MR14	PI-88788
L3	LG Seeds C 2775 NRR	2.7	LR1 3	PI-88788
L3	LG Seeds C 2873 N	2.8	3 MR14	PI-88788
L3	LG Seeds L 2855 NRR	2.8	3 MR14	PI-88788
L3	LG Seeds C 28Y19 NRR	2.8	3 MR14	PI-88788
L3	LG Seeds C 2985 NRR	2.9	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
M 2	MWS 2414 CRR	2.5	MR3	PI-88788
M 2	MWS 2641 XCRR	2.6		CystX
M 2	MWS 2939CRR	2.7	3 MR4	PI-88788
M 2	MWS 2831 CRR	2.8	3 MR4	PI-88788
M 2	MWS 2939 CRR	2.9	MR3 MR4	PI-88788
M 2	MWS 2988 CRR	2.9	3 MR4	PI-88788
M 3	Martin M 927 NRR	2.7	3	PI-88788
M 3	Martin M-828 NRR	2.8	3 14	PI-88788
M 4	Merschman Navaho 720RR	2.0	3	PI-88788
M 4	Merschman Mohegan 823RR	2.3	3 MR14	PI-88788
M 4	Merschman SAC 923RRV	2.3	3	PI-88788
M 4	Merschman Apache 925RR	2.5	3	PI-88788
M 4	Merschman Fox 926RRV	2.6	3	PI-88788
M 4	Merschman Sioux 927LL	2.7	MS3	PI-88788
M 4	Merschman Shawnee 928RR	2.8	3	PI-88788
M 4	Merschman Cherokee 729RR	2.9	3	PI-88788
M 4	Merschman Chickasaw 929RR2Y	2.9	3	PI-88788
M 6	Midwest GR 2031	2.0	3 MR14	PI-88788
M 6	Midwest GR 2131	2.1	3 MR14	PI-88788
M 6	Midwest GR 2233	2.2	3 MR14	PI-88788
M 6	Midwest RV 2290	2.2	MR3 MR14	PI-88788
M 6	Midwest RV 2490	2.4	MR3 MR14	PI-88788
M 6	Midwest GR 2432	2.4	3 MR14	PI-88788
M 6	Midwest GR 2531	2.5	3 MR14	PI-88788
M 6	Midwest GR 2731	2.7	3 MR14	PI-88788
M 6	Midwest RV 2892	2.8	3 MR14	PI-88788
M 6	Midwest GR 2934	2.9	3 MR14	PI-88788
M 6	Midwest 2900R2	2.9	3 MR14	PI-88788
M 8	Monier M 2507	2.5	3 MR14	PI-88788
M 8	Monier M 2808 RR	2.8	3 MR14	PI-88788
M 8	Monier M 2817 RR	2.8	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
M 8	Monier M 2931 RR	2.9	3 MR14	PI-88788
M10	Munson 8279 RR	2.7	3 MR14	PI-88788
M10	Munson 8298 RR	2.9	3 MR14	PI-88788
M11	Mycogen Atlas 5N232RR	2.3	3 MR14	PI-88788
M11	Mycogen Atlas 5B291RR	2.8	3 MR14	PI-88788
M11	Mycogen Atlas 5N203RR	2.0	3 14	PI-88788
N1	NC+2A14 RR	2.1	3 MR14	PI-88788
N1	NC+2A15 RR	2.1	3 MR14	PI-88788
N1	NC+3A14RR	2.1	3 MR14	PI-88788
N1	NC+2V21RR	2.2	3 MR14	PI-88788
N1	NC+2A35RR	2.3	3 MR14	PI-88788
N1	NC+2A45 RR	2.4	3 MR14	PI-88788
N1	NC+2V41RR	2.4	3 MR14	PI-88788
N1	NC+2A54RR	2.5	3 MR14	PI-88788
N1	NC+2A78RR	2.7	3 MR14	PI-88788
N1	NC+2V82RR	2.8	3 MR14	PI-88788
N1	NC+2900R2	2.9	3 MR14	PI-88788
N1	NC+2A95RR	2.9	3 MR14	PI-88788
N2	NK S23-N7 Brand	2.3	3 14	PI-88788
N2	NK H-2752RR Brand	2.7	3 MR14	PI-88788
N2	NK S27-C4	2.7	3 14	PI-88788
N2	NK S29-J6 Brand	2.9	3 MR14	PI-88788
N6	NuTech NT-7201	2.0		PI-88788
N6	NuTech NT 212 CN	2.1		Peking
N6	NuTech NT-7222	2.2		PI-88788
N6	NuTech NT-7226	2.2		Peking
N6	NuTech 2324+ RR/SCN	2.3	3 MR14	PI-88788
N6	NuTech NT-236 CN	2.3		Peking
N6	NuTech NT 7242	2.4		PI-88788
N6	NuTech NT 5244	2.4		PI-88788
N6	NuTech NT-7255	2.5		PI-88788
N6	NuTech NT-2660 RR/SCN	2.6	3 MR14	PI-88788
N6	NuTech NT 7274	2.7		PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
N6	NuTech NT 5277	2.7		PI-88788
N6	NuTech NT-7288	2.8		Peking
N6	NuTech 7296	2.9	3	PI-88788
N7	Naylor Excell 8236 NRR	2.3	3	PI-88788
N8	NorthStar NS2009NRR	2.0	3 14	NSG
N8	NorthStar NS2223NRR	2.3	3	NSG
P 2	Pioneer 92M01 RR	2.0	3 14	PI-88788
P 2	Pioneer 92Y10	2.1	3	PI-88788
P 2	Pioneer 92M11 RR	2.1	1 3 5	Peking
P 2	Pioneer 92Y20	2.2	1 3 5	Peking
P 2	Pioneer 92M21	2.2	1 3 5	Peking
P 2	Pioneer 92M33 RR	2.3	3 14	PI-88788
P 2	Pioneer 92Y30	2.3	3	PI-88788
P 2	Pioneer 92M40 RR	2.4	3 MR14	PI-88788
P 2	Pioneer 92Y51	2.5	3	PI-88788
P 2	Pioneer 92M54 RR	2.5	3	PI-88788
P 2	Pioneer 92Y50	2.5	3	PI-88788
P 2	Pioneer 92M53 RR	2.5	1 3 5	Peking
P 2	Pioneer 92M61 RR	2.6	3 MR14	PI-88788
P 2	Pioneer 92Y71	2.7	3	PI-88788
P 2	Pioneer 92Y70	2.7	3	PI-88788
P 2	Pioneer 92Y72	2.7	3	PI-88788
P 2	Pioneer 92M75 RR	2.7	1 3 5	Peking
P 2	Pioneer 92M76 RR	2.7	3 14	PI-88788
P 2	Pioneer 92Y80	2.8	3	PI-88788
P 3	Prairie Brand PB 2058NRR	2.0	3 MR14	PI-88788
P 3	Prairie Brand PB-2056 NRR	2.0	3	PI-88788
P 3	Prairie Brand PB-2007 NRR	2.0	3	PI-88788
P 3	Prairie Brand PB 2196NRR	2.1	3	PI-88788
P 3	Prairie Brand PB-2117 NRR	2.1	3	PI-88788
P 3	Prairie Brand PB-2183 NRR	2.1	3	PI-88788
P 3	Prairie Brand PB-210 N	2.1	3	PI-88788
P 3	Prairie Brand PB 2217VNRR	2.2	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
P 3	Prairie Brand PB 2347NRR	2.2	3	PI-88788
P 3	Prairie Brand PB-226N	2.2	1 3 5 6 7 8	Peking
P 3	Prairie Brand PB 2207NRR	2.2	3	PI-88788
P 3	Prairie Brand PB 2337NRR	2.3	3	PI-88788
P 3	Prairie Brand PB 2438VNRR	2.4	3 MR14	PI-88788
P 3	Prairie Brand PB-253 N	2.5	3	Peking
P 3	Prairie Brand PB 2557NRR	2.5	3	PI-88788
P 3	Prairie Brand PB 2558NRR	2.6	3 MR14	PI-88788
P 3	Prairie Brand PB 2667NRR	2.6	3	PI-88788
P 3	Prairie Brand PB 2698NRR	2.6	3 MR14	PI-88788
P 3	Prairie Brand PB 2636NRR	2.6	3	PI-88788
P 3	Prairie Brand PB-2794 NRR	2.7	3	PI-88788
P 3	Prairie Brand PB 2737 VNRR	2.7	3	PI-88788
P 3	Prairie Brand PB 2716VNRR	2.7	3	PI-88788
P 3	Prairie Brand PB 2897NRR	2.8	3	PI-88788
P 3	Prairie Brand PB-291 N	2.9	3	PI-88788
P 3	Prairie Brand PB 3058NRR	2.9	3 MR14	PI-88788
P 3	Prairie Brand PB 2907NRR	2.9	3	PI-88788
P 3	Prairie Brand PB 2918VNRR	2.9	3 MR14	PI-88788
P 5	Public Variety IA 2036	2.0		PI-437654
P 5	Public Variety IA 2068	2.0		PI-437654
P 5	Public Variety IA 2036 LF	2.0		PI-437654
P 5	Public Variety IA AR4SCCN	2.0	3 14	PI-88788
P 5	Public Variety, IA 2068	2.5	3	PI88788&PI437654
P 6	Public Variety, IL Dwight	2.9	MR2 3 4 MR5	PI-88788
P 6	Public Variety, IL Jack	2.9	3 4 14	PI-88788
R2	Roeschley 2575 CRR	2.5		PI-88788
R2	Roeschley 2785 CRR	2.7		PI-88788
R2	Roeschley 2860 CRR	2.8		PI-88788
R2	Roeschley 2972 CRR	2.9	3 MR14	PI-88788
R2	Roeschley 4229 C	2.9	3 MR14	NSG
R2	Roeschley 2960 CRR	2.9		PI-88788
R2	Roeschley 9239 C	2.9	3 14	NSG

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
R3	Renk Seed RS 204NRR	2.0	3	PI-88788
R3	Renk Seed RS 187 NRR	2.0	3 MR14	PI-88788
R3	Renk Seed RS 247 NRR	2.4	3 MR14	PI-88788
R3	Renk Seed RS 259 RR	2.5	MR14	PI-88788
R4	Renze R 2279 RRcn	2.2	3	PI-88788
R4	Renze R 2599 RRcn	2.5	3	PI-88788
R4	Renze R 2889 RRcn	2.8	1 3 5	PI-88788&Peking
R5	Rupp RS 4245	2.4	3 14	PI-88788
R5	Rupp RS 4298 N	2.9	3 14	PI-88788
S 6	Stewart SB 2515 R	2.5	3 14	PI-88788
S 6	Stewart SB 2979 R	2.9	1 3 5	Peking
S 7	Steyer 2110	2.1	MR3 14	PI-88788
S 7	Steyer Seeds 2220	2.2	3	PI-88788
S 7	Steyer Seeds 2550	2.5	3 MR14	PI-88788
S 7	Steyer 2770	2.7	MR3 MR14	PI-88788
S 7	Steyer Seeds 2960 RR	2.9	3 MR14	PI-88788
S 7	Steyer Seeds 2950 RR	2.9	3 MR14	PI-88788
S 9	Stone 3A259 NRR	2.5	3 MR14	PI-88788
S 9	Stone 3A278 NRR	2.7	MR3	PI-88788
S 9	Stone 3A288 NRR	2.8	MR3	PI-88788
S 9	Stone 3A298 NRR	2.9	MR3	PI-88788
S12	Sun Prairie SP 2765 NRR	2.7	3 MR14	PI-88788
S12	Sun Prairie SP 2967 NRR	2.9	3 MR14	PI-88788
S12	Sun Prairie SP 2904 NRR	2.9	3 MR14	PI-88788
S13	Sands SOI 2122 NRR	2.1	3	PI-88788
S13	Sands SOI 2151NRR	2.1	3	PI-88788
S13	Sands SOI 2288 NRR	2.2	3 MR14	PI-88788
S13	Sands SOI 2307 NRR	2.3	3	PI-88788
S13	Sands SOI 2414 NRR	2.4	3	PI-88788
S13	Sands SOI 2467 NRR	2.4	3	PI-88788
S13	Sands SOI 2532 NRR	2.5	3 MR14	PI-88788
S13	Sands SOI 2604 NRR	2.6	3	PI-88788
S13	Sands SOI 2716 NRR	2.7	MR3 LR3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
S13	Sands SOI 2785 NRR	2.7	3	PI-88788
S13	Sands SOI 2728 NRR	2.7	LR3	PI-88788
S14	SC 9234	2.3	LR3	PI-88788
S14	SCS 9268	2.6	3	PI-88788
S14	SCS 9299	2.9	3	PI-88788
S8	Stine 2062-4	2.0		PI-88788
S8	Stine 2032-4	2.0	8.5	PI-88788
S8	Stine 2332-94	2.3		PI-88788
S8	Stine 2432-94	2.4		PI-88788
S8	Stine 2420-4	2.4	8	PI-88788
S8	Stine 2523-4	2.5		PI-88788
S8	Stine 2862-4	2.8		PI-88788
T5	Trisler Trisoy 2070RR(CN)	2.0		PI-88788
T5	Trisler Trisoy 2333 RR (cn)	2.3	T3	NSG
T5	Trisler Trisoy 2575 RR(CN)	2.5	3 MR14	PI-88788
T5	Trisler Trisoy 2782 RR (CN)	2.7	MR3	PI-88788
T5	Trisler Trisoy 2973RR(CN)	2.9	3 MR4	PI-88788
T6	Trelay 2203 RR	2.0	MR	PI-88788
T6	Trelay 2252 RR	2.5	3 MR14	PI-88788
T6	Trelay 2251 RR	2.5	3 MR14	PI-88788
T6	Trelay 2276 RR	2.7	MR	PI-88788
T6	Trelay 2299 RR	2.9	3 MR14	PI-88788
W2	Wilken W-2320 NRR	2.2		PI-437654
W2	Wilken W-2330NRR	2.3	3 MR14	PI-88788
W2	Wilken W-2339NRR	2.3	3 MR14	PI-88788
W2	Wilken W-2338 N	2.3		Peking
W2	Wilken 2661 N	2.6	MR3 MR14	PI-88788
W2	Wilken W-2667 NRR	2.6	3 MR14	PI-88788
W2	Wilken W-2664NRR	2.6	3 MR14	PI-88788
W2	Wilken W-2871 NRR	2.7	3 14	PI-88788
W2	Wilken W-2881 NRR	2.8	3 14	PI-88788
W2	Wilken W-2889NRR	2.8	3 MR14	PI-88788
W2	Wilken 2792NRR	2.9	3	NSG

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
W2	Wilken W-2993NRR	2.9	3 MR14	PI-88788
W3	Wensink 2909 RR CYSTX	2.9	All	CystX
W4	Welter WS 2810	2.8	3 MR14	PI-88788
Z1	Ziller BT 7208NR	2.0		PI-88788
Z1	Ziller BT 7204 NR	2.0	3 14	PI-88788
Z1	Ziller BT 7217NR	2.1		PI-88788
Maturity Group: 3				
A1	Adler 342 NRR	3.4	MR3	PI-88788
A1	Adler 362 NRR	3.6	3 MR14	NSG
A1	Adler 387 N	3.8	MR3 MR14	PI-88788
A3	AgVenture VP Maxx 30X1 RR	3.0		PI-88788
A3	AgVenture VPM maxx 30X1 RR	3.0		PI-88788
A3	AgVenture AV 30P31 NRR	3.0		PI-88788
A3	AgVenture AV 32P2 NRR	3.2		PI-88788
A3	AgVenture VPM maxx 32X1 RR	3.2		PI-88788
A3	AgVenture AV 33G3 NRR	3.3	3 MR14	PI-88788
A3	AgVenture VPM maxx 34X2 RR	3.4		PI-88788
A3	AgVenture AV 34G4 NRR	3.4	3 MR14	PI-88788
A3	AgVenture AV 36V9 RR	3.6		PI-88788
A3	AgVenture AV 436P6 NRR	3.6		PI-88788
A3	AgVenture AV 36P1 NRR	3.6		PI-88788
A3	AgVenture AV 37G7 NRR	3.7	3 MR14	PI-88788
A3	AgVenture AV 38J0 N	3.8	3 14	PI-88788
A3	AgVenture AV 38T8 NRR	3.8	MR3	PI-88788
A3	AgVenture VPM maxx 38X1 RR	3.8		PI-88788
A3	AgVenture AV 38P8 NRR	3.8		PI-88788
A3	AgVenture VPM maxx 39X1 RR	3.9		PI-88788
A3	AgVenture AV 39P9 NRR	3.9		PI-88788
A4	Asgrow AG 3021V	3.0	MR3	PI-88788
A4	Asgrow AG 3006	3.0	MR3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
A4	Asgrow AG 3023V	3.0	MR3	PI-88788
A4	Asgrow AG 3102	3.1	MS3 MR3	PI-88788
A4	Asgrow AG 3121V	3.1	MR3	PI-88788
A4	Asgrow AG 3203	3.2	MR3	PI-88788
A4	Asgrow AG 3205	3.2	MR3	PI-88788
A4	Asgrow AG 4303	3.3	MR	PI-88788
A4	Asgrow A 3402	3.4	MR3	PI-88788
A4	Asgrow AG 3555	3.5	MR3	PI-88788
A4	Asgrow AG 3521V	3.5	MR3	PI-88788
A4	Asgrow AG 3504	3.5	MR3	PI-88788
A4	Asgrow AG 3603	3.6	MR3	PI-88788
A4	Asgrow AG 3622	3.6	MR3	PI-88788
A4	Asgrow AG 3705	3.7	3	PI-88788
A4	Asgrow AG 3803	3.8	3	PI-88788
A4	Asgrow AG 3905	3.9	3	PI-88788
A4	Asgrow AG 3101	31	MR3	PI-88788
A4	Asgrow AG 3602	36	MR3	PI-88788
A4	Asgrow AG 3802	38	3 MR14	PI-88788
A4	Asgrow AG 3906	39	MR3 MR14	PI-88788
A5	Agrinetics Excell 8308 NRR	3.0		PI-88788
A6	AGI 30RN05	3.0	3 MR14	PI-88788
A6	AGI 30RN06	3.0	3 14	PI-88788
A6	AGI 30RN07	3.0	MR3	PI-88788
A6	AGI 31RN06	3.1	3 MR14	PI-88788
A6	AGI 31N05	3.1		PI-88788
A6	AGI 31RN05	3.1	3 MR14	PI-88788
A6	AGI 32RN04	3.2	3 MR14	PI-88788
A6	AGI 32RN05	3.2	MR3	PI-88788
A6	AGI 34RN02	3.4		PI-88788
A6	AGI 34RN06	3.4	MR3 MR14	PI-88788
A6	AGI 34RN03	3.4	3 MR14	PI-88788
A6	AGI 36RN01	3.6		PI-88788
A6	AGI 37RN01	3.7		PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
A6	AGI 38RN06	3.8	3 MR14	PI-88788
A6	AGI 38RN07	3.8	3	PI-88788
A6	AGI 38RSN04	3.8		PI-88788
A6	AGI 38RN05	3.8	3 MR14	PI-88788
A6	AGI 39RN04	3.9	MR3	PI-88788
A6	AGI 39RSN01	3.9		PI-88788
A6	AGI 39N02	3.9	3	PI-88788
B1	Beck 307NRR	3.0	MR3 MR14(4)	PI-88788
B1	Beck 311N	3.1	3 MR14(4)	PI-88788
B1	Beck 321NRR	3.2	MR3 MR14(4)	PI-88788
B1	Beck 326RRL	3.2		NSG
B1	Beck 325 NRR	3.2	3 14(4)	PI-88788
B1	Beck 332NRRL	3.3	3 MR14(4)	PI-88788
B1	Beck 342NRR	3.4	3 MR14(4)	PI-88788
B1	Beck 334 LL	3.4	3 MR14(4)	PI-88788
B1	Beck 364 NRR	3.6	MR3 MR14(4)	PI-88788
B1	Beck 362 NRR	3.6	MR3 MR14(4)	PI-88788
B1	Beck 376 LL	3.7	3 MR14 (4)	PI-88788
B1	Beck 377 NRR	3.7	3 MR14(4)	PI-88788
B1	Beck 381N	3.8	3 MR14(4)	PI-88788
B1	Beck 399NRR	3.9	3 MR14(4)	PI-88788
B3	Arise 3519 L	3.5	MR3 MR14	PI-88788
B3	Arise 3509 R	3.5	MR3 MR14	PI-88788
B3	Arise 3508N RR	3.5	3 14	PI-88788
B3	Arise 3719 L	3.7	MR3 MR14	PI-88788
B3	Arise 3807 NRR	3.8	3 14	PI-88788
B3	Arise 3819 L	3.8	MR3 MR14	PI-88788
B3	Arise 3836 N RR/STS	3.8	3 MR14	PI-88788
B3	Arise 9E394N	3.9	3 14	PI-88788
B3	Arise 3919 L	3.9	MR3 MR14	PI-88788
B3	Arise 3909 RS	3.9	3 MR14	PI-88788
B4	BoJac Mavrick 7303 RR	3.0	3 MR14	PI-88788
B4	BoJac Mavrick 4319 RR	3.1	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
B4	BoJac Mavrick 8322 RR	3.2	3 MR14	PI-88788
B4	BoJac Mavrick 6343 RR	3.4	3 MR14	PI-88788
B4	BoJac Mavrick 6369RR	3.6	3 MR14	PI-88788
B4	BoJac Mavrick 7376 RR	3.7	3 MR14	PI-88788
B4	BoJac Mavrick 5394 RR	3.9	3 MR14	PI-88788
B5	Bio Gene BG 3306 RN	3.2	3	PI-88788
B5	Bio Gene BG 3300NRR	3.3	3 MR14	PI-88788
B5	Bio Gene BG 3505 NRR	3.5	3	PI-88788
B5	Bio Gene BG 3620NRR	3.6	MR3 MR14	PI-88788
B5	Bio Gene BG 3606 RN	3.6	3 14	PI-88788
B5	Bio Gene BG 3806 RN	3.8	LR3	PI-88788
B6	Baker 3770 NRR	3.7	3 MR14(4)	PI-88788
B6	Baker 3975 NRR	3.9	3 MR14	PI-88788
B6	Baker 3945 NRR	3.9	MR1 3	PI-88788
B8	Strike 2907 RR	3.0	3 14	PI-88788
B8	Strike 3209 RR	3.2	3 MR14	PI-88788
B8	Strike 3108 RR	3.2	3	PI-88788
B8	Strike 3407 RR	3.4	3 MR14	PI-88788
B8	Strike 3605 RR	3.6	3 MR14	PI-88788
B8	Strike 3708 RR	3.7	3 MR14	PI-88788
B9	Brodbeck 3830	3.3	MR3 MR14	NSG
B9	Brodbeck 3740 NRR	3.4	3 MR14	PI-88788
B9	Brodbeck 3860	3.6	MR3 MR14	NSG
B9	Brodbeck 3880	3.8	MR3 MR14	NSG
C2	Campbell V328 NRR (Vistive)	3.2	3 MR14	PI-88788
C2	Campbell 329 N RR	3.2	3 MR14	PI-88788
C2	Campbell 347 NRR	3.4	3 MR14	PI-88788
C2	Campbell 378 PRR	3.7	3 MR14	PI-88788
C2	Campbell 388 NRR	3.8	3 MR14	PI-88788
C2	Campbell 393 NRR	3.9	3 MR14	PI-88788
C4	Crow's CV 301R	3.0	3 MR14	PI-88788
C4	Crow's C 3101R2	3.1	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
C4	Crow's C 3100R2	3.1	MR3	PI-88788
C4	Crow's C 3145 R	3.1	3 MR14	PI-88788
C4	Crow's C 3001R	3.1	3 MR14	PI-88788
C4	Crow's CV 321R	3.2	3 MR14	PI-88788
C4	Crow's C 3318 R	3.3	MR3 MR14	PI-88788
C4	Crow's 3400R2	3.4	MR3	PI-88788
C4	Crows C 3418 R	3.4	3 MR14	PI-88788
C4	Crow's 3500R2	3.5	3 MR14	PI-88788
C4	Crow's CV 351R	3.5	3 MR14	PI-88788
C4	Crows C 3619 R	3.6	3 MR14	PI-88788
C4	Crow's C 3817 R	3.8	3 MR14	PI-88788
C4	Crows C 3818R	3.8	3 MR14	PI-88788
C4	Crows C 3916 R	3.9	3 MR14	PI-88788
C5	Croplan Genetics RC 3006V	3.0	3 MR14	PI-88788
C5	Croplan Genetics RC 3125	3.1	3 MR14	PI-88788
C5	Croplan Genetics RC 3118	3.1	3 MR14	PI-88788
C5	Croplan Genetics RC 3258	3.2	3 MR14	PI-88788
C5	Croplan Genetics RC 3377	3.3	3 MR14	PI-88788
C5	Croplan Genetics RC 3558	3.5	3 MR14	PI-88788
C5	Croplan Genetics RC 3536	3.5	3 MR14	PI-88788
C5	Croplan Genetics RC 3667	3.6	3 MR14	PI-88788
C5	Croplan Genetics RC 3757	3.7	3 MR14	PI-88788
C5	Croplan Genetics RC 3864	3.8	3 MR14	PI-88788
C5	Croplan Genetics RC 3878S	3.8	3 MR14	PI-88788
C5	Croplan Genetics RC 3939	3.9	3 MR14	PI-88788
C5	Croplan Genetics RC 3967	3.9	3 MR14	PI-88788
C5	Croplan Genetics RC 3964	3.9	3 MR14	PI-88788
C8	Champion CS 307 NRR	3.0		PI-88788
C9	Armor 38-G2	3.8	3 MR14	PI-88788
C9	Armor 39-K4	3.9	MR3	PI-88788
D1	Dairyland DSR 3155/RR	3.1	MR3	PI-88788
D1	Dairyland DSR 3130/RR	3.1	MR3	PI-88788
D1	Dairyland DSR 3265/RR	3.1	MR3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
D1	Dairyland DSR 3320/RRSTS	3.3	MR3	PI-88788
D1	Dairyland DSR 3500/RR	3.5	3 MR14	PI-88788
D1	Dairyland DSR 3550/RR	3.5	MR3	PI-88788
D1	Dairyland DSR 3590	3.5	MR3	PI-88788
D1	Dairyland DSR 3675/RR	3.6	3	PI-88788
D1	Dairyland DSR 3940 RR	3.9	MR3	PI-88788
D4	Diener 3007 CRV "Vistive"	3.0	3 MR14	PI-88788
D4	Diener 3120 CR	3.1	3 MR14	PI-88788
D4	Diener 3262 CR	3.2	3 MR14	PI-88788
D4	Diener 3484 CR	3.4	3 MR14	PI-88788
D4	Diener DB 3610 CR	3.6	3 MR14	PI-88788
D4	Diener DB 3782 CR	3.7	3 MR14	PI-88788
D4	Diener 3820 CR	3.8	3 MR14	PI-88788
D8	Dyna-Gro 37A31	3.1	3 MR14	PI-88788
D8	Dyna-Gro 35RY31	3.1	3 MR14	PI-88788
D8	Dyna-Gro 33RY31	3.1	MR3 MR14	PI-88788
D8	Dyna-Gro 38B31	3.1	3 MR14	PI-88788
D8	Dyna-Gro V32N8RR	3.2	MR3	PI-88788
D8	Dyna-Gro V329SCN	3.2	MR3	PI-88788
D8	Dyna-Gro 33C32 (Vistive)	3.2	3 MR14	PI-88788
D8	Dyna-Gro 36RY33	3.3	3 MR14	PI-88788
D8	Dyna-Gro 32F33 (Vistive)	3.3	3 MR14	PI-88788
D8	Dyna-Gro 38R33	3.3	3 MR14	PI-88788
D8	Dyna-Gro 35LL33	3.3	3 MR14	PI-88788
D8	Dyna-Gro 37J34	3.4	3 MR14	PI-88788
D8	Dyna-Gro 38LL34	3.4	3	PI-88788
D8	Dyna-Gro V34N9RR	3.4	3 MR14	PI-88788
D8	Dyna-Gro 39RY34	3.4	3 MR14	PI-88788
D8	Dyna-Gro V35N8RR	3.5	3 MS14	PI-88788
D8	Dyna-Gro V36N5RR	3.6	3 MR14	PI-88788
D8	Dyna-Gro 32LL36	3.6	MR3	PI-88788
D8	Dyna-Gro 39K36 (Vistive)	3.6	3 MR14	PI-88788
D8	Dyna-Gro 35Y36	3.6	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
D8	Dyna-Gro 33A37	3.7	3 MR14	PI-88788
D8	Dyna-Gro 37P37	3.7	3 MR14	PI-88788
D8	Dyna-Gro 35F37	3.7	3 MR14	PI-88788
D8	Dyna-Gro 35G38	3.8	3 MR14	PI-88788
D8	Dyna-Gro V388SCN	3.8	MR3	PI-88788
D8	Dyna-Gro 37C38	3.8	3 MR14	PI-88788
D8	Dyna-Gro 32C38	3.8	3 MR14	PI-88788
D8	Dyna-Gro V39N9RR	3.9	MR3	PI-88788
D8	Dyna-Gro DG 3390 NRR	3.9	3 MR14	PI-88788
D8	Dyna-Gro 32X39	3.9	3 MR14	PI-88788
E2	Excel 8308 NRR	3.1	MR3 LR4	PI-88788
E2	Excel 8377 NRR/STS	3.7	3 MR14	PI-88788
E2	Excell 8379 NRR	3.7	MR3	PI-88788
E2	Excel 8384 NRR	3.8	MR3	PI-88788
E2	Excell 8394 NRR	3.9	MR3	PI-88788
E2	Excel 8394 NRR	3.9	3	PI-88788
F1	Fontanelle 9800 NRR	3.0	3	PI-88788
F1	Fontanelle 9412 NRR	3.1	3 MR14	PI-88788
F1	Fontanelle 460 NRRSTS	3.3	MR3	PI-88788
F1	Fontanelle 9652 NRR	3.5	3 MR14	PI-88788
F1	Fontanelle 9162 NRR	3.6	3 MR14	PI-88788
F1	Fontanelle 9772 NRR	3.7	3	PI-88788
F1	Fontanelle 9789 NRR	3.8	3	PI-88788
F1	Fontanelle 9680 NRR	3.8	3	PI-88788
F2	FS Hisoy HS 3156 (RR)	3.1	3 14	PI-88788
F2	FS Hisoy HS 32V70	3.2	3 14	PI-88788
F2	FS Hisoy HS 33R70	3.3	3 14	PI-88788
F2	FS Hisoy HS 3466 (RR)	3.4	3 14	PI-88788
F2	FS Hisoy HS 3536 (RR)	3.5	3 4	PI-88788
F2	FS Hisoy HS 4066 (RR)	3.6	3 14	PI-88788
F2	FS Hisoy HS 3766 (RR)	3.7	3 14	PI-88788
F2	FS Hisoy HS 38C60	3.8	3	PI-88788
F2	FS Hisoy HS 38R80	3.8	3 14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
F2	FS Hisoy HS 3846 (RR)	3.8	1 3 14	PI-88788&Peking
F2	FS Hisoy FS 39R70	3.9	3 14	PI-88788
G2	Gateway 3R385	3.8	3	NSG
G4	Great Heart GT-327 RR	3.2	3 MR4	PI-88788
G4	Great Heart GT-341 CRR	3.4	3 MR14	PI-88788
G4	Great Heart GT-353 CRS	3.5	3 MR14	PI-88788
G4	Great Heart GT-376 CRS	3.7	3 MR4	PI-88788
G4	Great Heart GT-373 C	3.7	3 MR14	PI-88788
G4	Great Heart GT-375CRR	3.7	3 14	PI-88788
G4	Great Heart GT-380 CRR	3.8	MR3 MR14	PI-88788
G4	Great Heart GT-382 CRR	3.8	3 MR14	PI-88788
G4	Great Heart GT-397 CRR	3.9	3 MR14	PI-88788
G4	Great Heart GT-391 C	3.9	MR3 MR14	PI-88788
G5	Great Lakes GL 3178LL	3.1	MR3	PI-88788
G5	Great Lakes GL 3139RR	3.1	3 MR14	PI-88788
G5	Great Lakes GL 3309 RR	3.3	3 14	PI-88788
G5	Great Lakes GL 3449RR	3.4	3 MR14	PI-88788
G5	Great Lakes GL 3569 LL	3.5	MR3	PI-88788
G5	Great Lakes GL 3639 RR	3.6	3 MR14	PI-88788
G5	Great Lakes GL 3719RR	3.7	3 MR14	PI-88788
G5	Great Lakes GL 3859RR	3.8	3 MR14	PI-88788
G6	Gries Seed GSF 3207 NRR	3.2	MR3 MR14	PI-88788
G6	Gries Seed GSF 3607 NRR	3.6	MR3 MR14	PI-88788
G6	Gries Seed GFS 39-18 N	3.9	3 MR14	PI-88788
H3	Hoblit HB 313 NRR	3.1	3 MR14	PI-88788
H3	Hoblit HB 312N RR	3.1	3 MR14	PI-88788
H3	Hoblit HB 342 NRR	3.4	3 MR14	PI-88788
H3	Hoblit HB 355 N RR	3.5	3 14	PI-88788
H3	Hoblit HB 353 NRR	3.5	3 MR14	PI-88788
H3	Hoblit HB 361 NRR	3.6	3 MR14	PI-88788
H3	Hoblit HB 375 NRR	3.7	3 MR14	PI-88788
H3	Hoblit HB 387 NRR	3.8	3 14	PI-88788
H3	Hoblit HB 391 NRR	3.9	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
H5	Horizon H 303 NRR	3.0	3 MR14	PI-88788
H5	Horizon H406 NRR	3.0	3 MR14	PI-88788
H5	Horizon H323N	3.2	3 MR14	PI-88788
H5	Horizon H331N	3.3	3 MR14	PI-88788
H5	Horizon H 340N RR	3.4	3 MR14	PI-88788
H5	Horizon H352 NRR	3.5	3 MR14	PI-88788
H5	Horizon H356 N RR	3.5	3 MR14	PI-88788
H5	Horizon H354N	3.5	3 MR14	PI-88788
H5	Horizon H361 N	3.5	3 MR14	PI-88788
H5	Horizon H 373N RR	3.7	3 MR14	PI-88788
H5	Horizon H384N	3.8	3 MR14	PI-88788
H5	Horizon H381N	3.8	3 MR14	PI-88788
H5	Horizon H399N RR	3.9	3 MR14	PI-88788
H7	Hubner H 317 NRR	3.1	3 14	PI-88788
H7	Hubner H 31-01R2	3.1	3	PI-88788
H7	Hubner H 333 NRR	3.3	MR3	PI-88788
H7	Hubner H 34-02R2	3.4	3 14	PI-88788
H7	Hubner H 34-01R2	3.4	3	PI-88788
H7	Hubner H 346 NRR	3.4	3 MR14	PI-88788
H7	Hubner H 355 NRR	3.6	MR3 MR14	PI-88788
H7	Hubner H 366 NRR	3.6	3 14	PI-88788
H7	Hubner H 377 NRR	3.7	3 MR14	PI-88788
H7	Hubner H 376 NRR	3.7	3 14	PI-88788
H7	Hubner H 398 NRR	3.9	3 14	PI-88788
H9	Hoffman H 37-08-CR	3.7	3 MR14	PI-88788
H9	Hoffman H 38-08-CR	3.8	3	PI-88788
H9	Hoffman H 387	3.8	MR3 MR14	PI-88788
H9	Hoffman H 39-07-CR	3.9	3 MR14	PI-88788
K1	Kaltenberg KB 308 RR	3.0	3	PI-88788
K2	Kitchen KSC 3086	3.0	3	PI-88788
K2	Kitchen KSC 3546 C RR	3.5	3 MR1	PI-88788
K2	Kitchen KSC 3479 CRR	3.5	3 4	PI-88788
K2	Kitchen KSC 3372 C	3.7	3 14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
K2	Kitchen KSC 3772 CRR	3.7	3 4	PI-88788
K2	Kitchen KSC 3876	3.8	3	PI-88788
K2	Kitchen KSC 3869 CRR	3.8	3	PI-88788
K2	Kitchen KSC 3982 C RR	3.9	3	PI-88788
K3	Kruger K-302RR/SCN/LINO	3.0	3	PI-88788
K3	Kruger K-316RR/SCN	3.1	3	PI-88788
K3	Kruger K-321RR/SCN/LINO	3.2	3	PI-88788
K3	Kruger K-329RR/SCN	3.2	3	PI-88788
K3	Kruger K-341RR/SCN	3.4	3 MR14	PI-88788
K3	Kruger K-348RR/SCN	3.4	3	PI-88788
K3	Kruger K-363RR/SCN	3.6	3	PI-88788
K3	Kruger K-372RR/SCN	3.7	3	PI-88788
K3	Kruger K-384RR/SCN	3.8	3	PI-88788
K3	Kruger K-389RR/SCN	3.8	3 14	PI-88788
L1	Latham E 3178 R	3.1	3 14	PI-88788
L1	Latham E 3380	3.3	3 14	PI-88788
L2	Lewis 3258	3.2	14	PI-88788
L2	Lewis 3407	3.4	3 MR4	PI-88788
L2	Lewis 3599	3.6	3 MR14	PI-88788
L2	Lewis 3698	3.6		PI-88788
L2	Lewis 3853	3.8		PI-88788
L2	Lewis 3968	3.9	14	PI-88788
L2	Lewis 3909	3.9	3 MR14	PI-88788
L3	LG Seeds C 31Y26 NRR	3.1	3 MR14	PI-88788
L3	LG Seeds C 3121 NRR	3.1	3 MR14	PI-88788
L3	LG Seeds C 31Y23 NRR	3.1	3 MR14	PI-88788
L3	LG Seeds C 3211 N	3.2	MR3 MR14	PI-88788
L3	LG Seeds L 3250 NRR Vistive	3.2	3 14	PI-88788
L3	LG Seeds C 3242 NRR	3.2	MR3	PI-88788
L3	LG Seeds L 3350 NRR	3.4	3 MR14	PI-88788
L3	LG Seeds C 34Y15 NRR	3.4	3 MR14	PI-88788
L3	LG Seeds C 3445 NRR	3.4	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
L3	LG Seeds C 34Y18 NRR	3.4	3 MR14	PI-88788
L3	LG Seeds C 3509 NLL	3.5	3	PI-88788
L3	LG Seeds L 3650 NRR	3.6	3 MR14	PI-88788
L3	LG Seeds C 3766 NRR	3.7	3 MR14	PI-88788
L3	LG Seeds C 3709 LL	3.7	MR3	PI-88788
L3	LG Seeds C 3884 N	3.8	MR3	PI-88788
L3	LG Seeds C 3888 NRR	3.8	3 MR14	PI-88788
L3	LG Seeds C 3988 NRR	3.9	3 14	PI-88788
M 2	MWS 2911 CRR	3.0	1 3 5	Peking
M 2	MWS 3128 CRR	3.1	3 4	PI-88788
M 2	MWS 3329 CRR	3.3	3 MR4	PI-88788
M 2	MWS 3453	3.4	3 MR4	PI-88788
M 2	MWS 35004 CLL	3.5	MR3	PI-88788
M 2	MWS 3505CRR	3.5	3 MR4	PI-88788
M 2	MWS 35025 CLL	3.5	MR3	PI-88788
M 2	MWS 3810 C	3.7	3	PI-88788
M 2	MWS 3851 CRR	3.7	3 MR4	PI-88788
M 3	Martin M 930 NRR	3.0	MR3	PI-88788
M 3	Martin M 831 NRR	3.1	3 14	PI-88788
M 3	Martin M 832 NRR	3.2	3 14	PI-88788
M 3	Martin M 734 NRR	3.4	3	PI-88788
M 3	Martin M 835 NRR	3.5	3 14	PI-88788
M 3	Martin M 435NRR	3.5	3 MR14	PI-88788
M 3	Martin M-538 NRR	3.8		PI-88788
M 4	Merschman Jefferson 830RR	3.0	3 MR14	PI-88788
M 4	Merschman Hoover 931RR2Y	3.1	3	PI-88788
M 4	Merschman Asoyia 3106 SCN	3.1	3 MR14	PI-88788
M 4	Merschman Hayes 832RRV	3.2	3	PI-88788
M 4	Merschman Mckinley 933RR	3.3	3	PI-88788
M 4	Merschman Coolidge 934RR2Y	3.4	3	PI-88788
M 4	Merschman Grant 935RR	3.5	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
M 4	Merschman Wilson 935LL	3.5	3	Peking
M 4	Merschman Monroe 735RR	3.5	3	PI-88788
M 4	Merschman Adams 936RRV	3.6	3	PI-88788
M 4	Merschman Kennedy 836RR	3.6	3 MR14	PI-88788
M 4	Merschman Eisenhower 937RR	3.7	3	PI-88788
M 4	Merschman Roosevelt 937RR2Y	3.7	3	PI-88788
M 4	Merschman Washington 938RR	3.8	3	PI-88788
M 4	Merschman Madison 938RR	3.8	3	PI-88788
M 5	MFA Morsoy RT 3644N	3.6	3 MR14	PI-88788
M 5	MFA Morsoy RT 3807N	3.8	3 MR14	PI-88788
M 5	MFA Morsoy RT3936N	3.9	3 MR14	PI-88788
M 6	Midwest RV 3090	3.0	3 MR14	PI-88788
M 6	Midwest GR 3033	3.0	3 MR14	PI-88788
M 6	Midwest 3101R2	3.1	3 MR14	PI-88788
M 6	Midwest GR 3104	3.1	3 MR14	PI-88788
M 6	Midwest 3100R2	3.2	MR3	PI-88788
M 6	Midwest RV3290	3.3	3 MR14	PI-88788
M 6	Midwest GR3333	3.3	3 14	PI-88788
M 6	Midwest 3400R2	3.4	MR3	PI-88788
M 6	Midwest GR 3433	3.4	3 MR14	PI-88788
M 6	Midwest 3500R2	3.5	3 MR14	PI-88788
M 6	Midwest GR 3631	3.6	3 MR14	PI-88788
M 6	Midwest GR3832	3.8	3 MR14	PI-88788
M 6	Midwest GR 3833	3.8	3 MR14	PI-88788
M 6	Midwest GR 3934	3.9	3 MR14	PI-88788
M 8	Monier M 3089RR	3.0	3 MR14	PI-88788
M 8	Monier M3177RR	3.1	3 MR14	PI-88788
M 8	Monier M 3438 RR	3.4		PI-88788
M 8	Monier M 3628 RR	3.6	3 MR14	PI-88788
M10	Munson 8328 RR	3.2	3 MR14	PI-88788
M10	Munson 8349 RR	3.4	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
M10	Munson 8379RR	3.7	3 MR14	PI-88788
M10	Munson 8377 RR	3.7	3 MR14	PI-88788
M11	Mycogen Atlas 5N290RR	3.0	3 14	PI-88788
M11	Mycogen Atlas 5N300 RR	3.0	3 14	PI-88788
M11	Mycogen Atlas 5N310 RR	3.1	3 MR14	PI-88788
M11	Mycogen Atlas 5B320NRR	3.2	3 MR14	PI-88788
M11	Mycogen Atlas 5N352 RR	3.5	3 MR14	PI-88788
M11	Mycogen Atlas 5N382 RR	3.7	3 MR14	PI-88788
M11	Mycogen Atlas 5N383 RR	3.8	3 MR14	PI-88788
M11	Mycogen Atlas 5B381NRR	3.8	MR3 MR14	PI-88788
M12	Miles Hoshea 3.7 N	3.7	3 14	PI-88788
M12	Miles Lucas 3.8 N, RR	3.8	3 14	PI-88788
M12	Miles Moriah 3.8 N, LL	3.8	3	PI-88788
M12	Miles Hiram 4.9 N, RR	3.9	3	PI-88788
N1	NC+3A02RR	3.0	3 MR14	PI-88788
N1	NC+3101R2	3.1	3 MR14	PI-88788
N1	NC+3100R2	3.1	MR3	PI-88788
N1	NC+3V21RR	3.2	3 MR14	PI-88788
N1	NC+3A32 RR	3.3	MR3 MR14	PI-88788
N1	NC+3400R2	3.4	MR3	PI-88788
N1	NC+3A54RR	3.5	3 MR14	PI-88788
N1	NC+3500R2	3.5	3 MR14	PI-88788
N1	NC+3V51RR	3.5	3 MR14	PI-88788
N1	NC+3A62RR	3.6	3 MR14	PI-88788
N1	NC+3A85RRSTS	3.8	3 MR14	PI-88788
N1	NC+3A86RS	3.8	3 MR14	PI-88788
N1	NC+3A93RR	3.9	3 MR14	PI-88788
N2	NK S30-F5 Brand	3.0	3 MR14	PI-88788
N2	NK S32-E2 Brand	3.2	3 MR14	PI-88788
N2	NK S33-A8	3.3	3 MR14	PI-88788
N2	NK S34-R2	3.4	3	PI-88788
N2	NK S35-T9	3.5	3 14	PI-88788
N2	NK S37-F7 Brand	3.7	3 14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
N2	NK S37-P5 Brand	3.7	MR3 MR14	PI-88788
N2	NK S38-D5 Brand	3.8	3 14	PI-88788
N2	NK S39-A3 Brand	3.9	3 14	PI-88788
N3	NU-AG 301N RR	3.0		PI-88788
N3	NU-AG 341N RR	3.4	MR3 14	PI-88788
N3	NU-AG 354N RR	3.5	3 4	PI-88788
N3	NU-AG 363N	3.6	3 MR14	PI-88788
N3	NU-AG NA 375 NRR STS	3.7		PI-88788
N3	NU-AG 374N RR	3.7	3 MR14	PI-88788
N3	NU-AG NA 386N RR/STS	3.8	3 MR14	PI-88788
N3	NU-AG NA 393N RR	3.9	MR3 MR14	PI-88788
N6	NuTech NT 7316	3.1		PI-88788
N6	NuTech NT-5325	3.2		PI-88788
N6	NuTech NT 7333	3.3		PI-88788
N6	NuTech NT-7353	3.5		PI-88788
N6	NuTech NT 7369S	3.6		PI-88788
N6	NuTech NT 3737+RN	3.7		PI-88788
N6	NuTech NT 7383	3.8		PI-88788
N6	NuTech 3909 RN	3.8		PI-88788
N6	NuTech NT-3888 RN	3.8	3 MR14	PI-88788
N6	NuTech NT 7399	3.9		PI-88788
P 2	Pioneer 93Y02	3.0	3	PI-88788
P 2	Pioneer 93Y11	3.1	3	PI-88788
P 2	Pioneer 93M13 RR	3.1	3	PI-88788
P 2	Pioneer 93M14	3.1	3 14	PI-88788
P 2	Pioneer 93Y13	3.1	3	PI-88788
P 2	Pioneer 93Y14	3.1	3	PI-88788
P 2	Pioneer 93Y20	3.2	3	PI-88788
P 2	Pioneer 93M42 RR	3.4	3 MR14	PI-88788
P 2	Pioneer 93Y40	3.4	3	PI-88788
P 2	Pioneer 93Y51	3.5	3	PI-88788
P 2	Pioneer 93M52	3.5	3 MR14	PI-88788
P 2	Pioneer 93M62	3.6	MR3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
P 2	Pioneer 93M61 RR	3.6	MR3 14	PI-88788
P 2	Pioneer 93Y71	3.7	3	PI-88788
P 2	Pioneer 93Y70	3.7	3	PI-88788
P 2	Pioneer 93Y80	3.8	3	PI-88788
P 2	Pioneer 93M94 RR/STS	3.9	3	PI-88788
P 2	Pioneer 93Y91	3.9	3	PI-88788
P 2	Pioneer 93Y90	3.9	3	PI-88788
P 2	Pioneer 93Y92	3.9	3	PI-88788
P 3	Prairie Brand PB 2956NRR	3.0	3	PI-88788
P 3	Prairie Brand PB 3137NRR	3.1	3	PI-88788
P 3	Prairie Brand PB 313N	3.1	3	PI-88788
P 3	Prairie Brand PB 3337VNRR	3.3	3	PI-88788
P 3	Prairie Brand PB 3436NRR	3.4	3	PI-88788
P 3	Prairie Brand PB 3598NRR	3.5	3 MR14	PI-88788
P 3	Prairie Brand PB 3637NRR	3.6	3	PI-88788
P 3	Prairie Brand PB 3618VNRR	3.6	3 MR14	PI-88788
P 3	Prairie Brand PB 3796NRR	3.7	3	PI-88788
P 3	Prairie Brand PB-3785NRR	3.7	3	PI-88788
P 3	Prairie Brand PB 3858NRRSTS	3.8	3 MR14	PI-88788
P 3	Prairie Brand PB-3894 NRR	3.8	3	PI-88788
P 3	Prairie Brand PB 3997NRR	3.9	3	PI-88788
P 5	Public Variety IA AR6SCN	3.0	3 14	PI-88788
P 5	Public Variety IA 3005	3.0		PI-437654
P 5	Public Variety IA 3015	3.0		PI-437654
P 5	Public Variety IA 3014	3.0		PI-88788
P 5	Public Variety IA AR5SCN	3.0	3 14	PI-88788
P 5	Public Variety IA 95-684043	3.0	1 3 5	PI-88788
P 5	Public Variety IA AR7SCN	3.0	3 14	PI-88788
P 5	Public Variety IA AR8SCN	3.0	3 14	PI-88788
P 9	Public Variety, MO Maverick	3.8	3	PI-88788
R2	Roeschley 3172 CRR	3.1	3 MR14	PI-88788
R2	Roeschley 3173 CRR	3.1		PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
R2	Roeschley 3169 C	3.1	MR3	PI-88788
R2	Roeschley 4351 CRR	3.1	MR3	NSG
R2	Roeschley 3478 C	3.4	3	PI-88788
R2	Roeschley 3462 CRR	3.4		PI-88788
R2	Roeschley 3585 CRR	3.5		PI-88788
R3	Renk Seed RS 277 NRR	3.1	3	PI-88788
S 1	Schlessman Agra 5628CNRR	3.0	3 MR14	PI-88788
S 1	Schlessman Agra 5731 CNRR	3.2	3 MR14	PI-88788
S 1	Schlessman SSC 337RR	3.3	3 MR14	PI-88788
S 1	Schlessman Agra 5833CNRR	3.3	3 MR14	PI-88788
S 1	Schlessman SSC 356RR	3.5	3 MR14	PI-88788
S 1	Schlessman Agra 573CNRR	3.7	3 MR14	PI-88788
S 6	Stewart SB 3084 R	3.0	3 14	PI-88788
S 6	Stewart SB 3369 R	3.3	3 14	PI-88788
S 6	Stewart SB 3579 R	3.5	3 14	PI-88788
S 6	Stewart SB 365 R	3.6	3 MR14	PI-88788
S 6	Stewart SB 3088 R	3.8	3	PI-88788
S 6	Stewart SB 3993	3.9	3	PI-88788
S 7	Steyer Seeds 3330 RR SCN	3.3	3 MR14	PI-88788
S 7	Steyer Seeds 3490 RR	3.4	3 MR14	PI-88788
S 7	Steyer 3660 RR	3.6	3	PI-88788
S 7	Steyer Seeds 3840	3.8	3 MR14	PI-88788
S 7	Steyer 3830 RR SCN	3.8	3 MR14	PI-88788
S 9	Stone 3A319 NRR	3.1	3	PI-88788
S 9	Stone 2346 NRR	3.4	3 MR14	PI-88788
S 9	Stone 3A368 NRR	3.6	MR3	NSG
S 9	Stone 3A378 NRR	3.7	MR3	PI-88788
S 9	Stone 3A388 NRR	3.8	3 MR14	NSG
S 9	Stone 3A398 NRR	3.9	MR15	PI-88788
S12	Sun Prairie SP 3404 NRR	3.4	3 MR14	PI-88788
S12	Sun Prairie SP 3430 NRR	3.4	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
S12	Sun Prairie SP 3567 NRR	3.5	3 MR14	PI-88788
S12	Sun Prairie SP 3837 NRR	3.8		PI-88788
S12	Sun Prairie SP 3811 NRR	3.8	3 MR14	PI-88788
S13	Sands SOI 3136 NRR	3.1	3 MR14	PI-88788
S13	Sands SOI 3209 NRR	3.2	3	PI-88788
S13	Sands SOI 3212 NRR	3.2	3 MR14	PI-88788
S13	Sands SOI 3422 NRR	3.4	3 MR14	PI-88788
S13	Sands SOI 3550 NRR	3.5	3	PI-88788
S14	SC 9308	3.0	3 MR14	PI-88788
S14	SC 9338	3.3	3 MR14	PI-88788
S14	SS 9349	3.4	3	PI-88788
S14	SC 9358	3.5	3 MR14	PI-88788
S14	SC 9355	3.5	3 14	PI-88788
S14	SC 9366	3.6	LR3	PI-88788
S14	SCS 9369	3.6	3	PI-88788
S14	SC 9378	3.7	3 MR14	PI-88788
S14	SCS 9379	3.7	3	PI-88788
S14	SC 9389	3.8	3 MR14	PI-88788
S14	SC 9386	3.8	3 MR14	PI-88788
S14	SCS 9398	3.9	3	PI-88788
S8	Stine 3132-4	3.1		PI-88788
S8	Stine 3102-94	3.1		PI-88788
S8	Stine 3222-4	3.2		PI-88788
S8	Stine 3128-4	3.2		PI-88788
S8	Stine 3582-4	3.5		PI-88788
S8	Stine 3532-4	3.5	MR7.5	PI-88788
S8	Stine 3632-94	3.6		PI-88788
S8	Stine 3602-4	3.7		PI-88788
T2	Terral TV 39R31	3.9	3 14	PI-88788
T5	Trisler Trisoy 3073 RR(CN)	3.0	MR3	PI-88788
T5	Trisler Trisoy 3144RR(CN)	3.1	3	PI-88788
T5	Trisler Trisoy 3463 RR (cn)	3.4	MR3	PI-88788
T5	Trisler Trisoy 3675RR(CN)	3.6	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
T5	Trisler Trisoy 3874RR(CN)	3.8	MR3	PI-88788
T5	Trisler Trisoy 3977RR(CN)	3.9	MR3	PI-88788
T6	Trelay 2311 RR	3.1	3 MR14	PI-88788
U2	USG 73H77	3.7	MR3 LR14	PI-88788
U2	USG 7384nRS	3.8	3 MR14	PI-88788
W1	Wildy Excell 8378 NRR	3.8	3 MR14	NSG
W2	Wilken W-3318 N	3.1	1 3 5	NSG
W2	Wilken W-3413NRR	3.1	3 MR14	PI-88788
W2	Wilken 3426 NRR	3.2	3 MR14	PI-88788
W2	Wilken W-3432 NRR	3.3	3 MR14	PI-88788
W2	Wilken W-3434 NRR	3.3	3 14	PI-88788
W2	Wilken W-3459 NRR	3.5	3 MR14	PI-88788
W2	Wilken 3461 NRR	3.6	3 MR14	PI-88788
W2	Wilken W-3465 NRR	3.6	3 14	PI-88788
W2	Wilken W-3577 NRR	3.7	3 MR14	PI-88788
W2	Wilken W-3473 NRR	3.7	MR3 MR14	PI-88788
W2	Wilken W-3488 NRR	3.8	3 14	PI-88788
W2	Wilken W-3487 NRR	3.8	3 MR14	PI-88788
W2	Wilken 3479NRR	3.9	3 MR14	PI-88788
W2	Wilken 3499 NRR	3.9	3 MR14	PI-88788
W2	Wilken 3499 NRR	3.9	3 MR14 0 0	PI-88788
W2	Wilken W-3592 NRR	3.9	3 MR14	PI-88788
W3	Wensink 3405 RR CYSTX	3.4	All	CystX

Maturity Group: 4

A1	Adler 402 NRR	4.0	MR3	PI-88788
A1	Adler 365 NRR	4.6	MR3	PI-88788
A1	Adler 472 NRR	4.7	3	PI-88788
A3	AgVenture AV 44G5 NRR	4.4	MR14	PI-88788
A3	AgVenture AV 46J5 N RR	4.6	3 14	PI-88788
A3	AgVenture AV 47G7 NRR	4.7	3 MR14	PI-88788
A3	AgVenture AV 6489 N RR	4.8	MR3 14	PI-88788
A4	Asgrow AG 4005	4.0	MR3	PI-88788
A4	Asgrow AG 4103	4.1	MR3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
A4	Asgrow DKB 42-51	4.2	MR3	PI-88788
A4	Asgrow AG 4404	4.4	MR3 MR14	PI-88788
A4	Asgrow AG 4403	4.4	MR3	PI-88788
A4	Asgrow AG 4405	4.4	3	PI-88788
A4	Asgrow AG 5405	4.5	MR3	PI-88788
A4	Asgrow AG 4606	4.6	3	PI-88788
A4	Asgrow DKB 46-51	4.6	3 MR14	PI-88788
A4	Asgrow AG 5606	4.6	1 3	Peking
A4	Asgrow AG 4605	4.6	MR3	PI-88788
A4	Asgrow AG 4705	4.7	1 3 5	Peking
A4	Asgrow AG 4703	4.7	MS3 MR3	PI-88788
A4	Asgrow AG 4907	4.9	3	PI-88788
A4	Asgrow AG 4801	4.8	3 MR14	PI-88788
A6	AGI 40RN01	4.0		PI-88788
A6	Public Variety, 7441NRR	4.4		PI-88788
A6	Public Variety, AGI 44RSN01	4.4		PI-88788
B1	Beck 403 NRR	4.0	3 14(4)	PI-88788
B1	Beck 422NRR	4.2	3 MR14(4)	PI-88788
B1	Beck 445 NRR	4.4	3 MR14(4)	PI-88788
B1	Beck 474NRR	4.7	3 MR14 (4)	PI-88788
B3	Arise 4209 RS	4.2	3 MR14	PI-88788
B3	Arise 4309 S	4.3	3 MR14	PI-88788
B3	Arise 4407 NRR	4.4	3 14	PI-88788
B3	Arise 4519 L	4.5	MR3 MR14	PI-88788
B3	Arise 4606 NRR	4.6	3 14	PI-88788
B3	Arise 4708N RR	4.7	3 14	PI-88788
B3	Arise 4819 L	4.8	MR3 MR14	PI-88788
B4	BoJac Mavrick 8424 RR	4.2	3 MR14	PI-88788
B4	Bojac Mavrick 7464 RR	4.6	3 MR14	PI-88788
B4	BoJac Mavrick 1482 RR	4.8	3 MR14	PI-88788
B5	Bio Gene BG 3906 RN	4.0	MR3	PI-88788
B5	Bio Gene BG 4200 NRRST	4.2	3 MR14	PI-88788
B5	Bio Gene BG 4406 RN	4.5	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
B6	Baker 4065 NRR	4.0	3 MR14	PI-88788
B6	Baker 4425 NRR	4.4	MR3 MR14	PI-88788
B6	Baker 4565NRRC	4.5	3 MR14	PI-88788
B6	Baker 4785 NRR	4.7	3 MR14	PI-88788
C2	Campbell 418 NRR/STS	4.1	3 MR14	PI-88788
C2	Campbell 441 NRR	4.4	MR3 MR14	PI-88788
C4	Crows C 4119R	4.1	3 MR14	PI-88788
C4	Crow's C 4142 R	4.1	3 MR14	PI-88788
C4	Crows C 4517 R	4.5	3 MR14	PI-88788
C4	Crow's C 4444 R	4.5	3 MR14	PI-88788
C4	Crows C 4519R	4.5	3 MR14	PI-88788
C4	Crow's C 4817 R	4.8	3 MR14	PI-88788
C4	Crow's C 4815 R	4.8	3 MR14	PI-88788
C4	Crows C 4820R	4.8	3 MR14	PI-88788
C5	Croplan Genetics RC 4207 RRSTS	4.2	3 MR14	PI-88788
C5	Croplan Genetics RC 4398S	4.3	3 MR14	PI-88788
C5	Croplan Genetics RC 4417	4.4	3	PI-88788
C5	Croplan Genetics RC 4455	4.4	3 MR14	PI-88788
C5	Croplan Genetics RC 4648S	4.6	3 MR14	PI-88788
C9	Armor 42-M1	4.2	3 MR14	PI-88788
C9	Armor 44-K6	4.4	3 MR14	PI-88788
C9	Armor 47-G7	4.7	3 M6 MR9 14	NSG
C9	Armor 47-F8	4.7	3 MR14	PI-88788
C9	Armor 48-J3	4.8	3	PI-88788
C9	Delta King 4968	4.9	3	PI-88788
C9	Armor 49-V6	4.9	MR3	PI-88788
D1	Dairyland DSR 4300/RR	4.3	MR3	PI-88788
D1	Dairyland DSR 4500/RRSTS	4.5	MR3	PI-88788
D1	Dairyland DSR 4700/RR	4.7	MR3	PI-88788
D1	Dairyland DSR 4890	4.8	MR3	PI-88788
D4	Diener 4110 CR	4.1	3 MR14	NSG
D4	Diener 4415 CR	4.4	3 MR14	NSG

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
D8	Dyna-Gro 33A40	4.0	3 MR14	PI-88788
D8	Dyna-Gro V41N9RR	4.1	MR3	PI-88788
D8	Dyna-Gro V42N3RR	4.2	3 MR14	PI-88788
D8	Dyna-Gro V42N9RS	4.2	3 MR14	PI-88788
D8	Dyna-Gro 38C42	4.2	3 MR14	PI-88788
D8	Dyna-Gro 39LL43	4.3	MR3 MR14	PI-88788
D8	Dyna-Gro V435SCN	4.3	3 MR14	PI-88788
D8	Dyna-Gro V43N8RR	4.3	3	PI-88788
D8	Dyna-Gro 36C44	4.4	3 MR14	PI-88788
D8	Dyna-Gro 37A44	4.4	3 MR14	PI-88788
D8	Dyna-Gro V45M9RR	4.5	3 MR14	PI-88788
D8	Dyna-Gro 32R46	4.6	3 MR14	PI-88788
D8	Dyna-Gro V47N8RR	4.7	3	PI-88788
D8	Dyna-Gro V47N9RS	4.7	3 MR14	NSG
D8	Dyna-Gro V48N7RS	4.8	3 MR14	PI-88788
D8	Dyna-Gro 36Y48	4.8	3 MR14	PI-88788
D8	Dyna-Gro 32P48	4.8	3 MR14	PI-88788
D8	Dyna-Gro V49N6RR	4.9	3	PI-88788
D8	Dyna-Gro 33LL49	4.9	MR3	PI-88788
D8	Dyna-Gro 39C49	4.9	3	PI-88788
E1	Eagle ES 4777 RR	4.7	MR3	Peking
E1	Eagle ES 4818 RR	4.8	3	Hartwig
E1	Eagle ES 4922 RR	4.9	MR3	Hartwig
E2	Excel 8406 NNRR	4.0	MR3	PI-88788
E2	Excel 8415NRR	4.1	3	PI-88788
E2	Excell 8415 NNRR	4.1	3	PI-88788
E2	Excel 8407 NRR	4.1	MR3	PI-88788
E2	Excel 8427 NRR/STS	4.2	3	PI-88788
E2	Excel 8447 NRR	4.4	MR3	PI-88788
E2	Excel 8430 NRR STS	4.4	3	PI-88788
E2	Excel 8450 NRR	4.5	MR3	PI-88788
E2	Excell 8481 NRR	4.8	MR3	PI-88788
E2	Excel 8493 NRR	4.9	MR3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
F1	Fontanelle 407 NRRSTS	4.0	MR3	PI-88788
F1	Fontanelle 437 NRRSTS	4.3	MR3	PI-88788
F1	Fontanelle 454 NRR	4.5	3 MR14	PI-88788
F1	Fontanelle 478 NRR	4.7	3 MR14	PI-88788
F2	FS Hisoy HS 4256 (RR)	4.2	3 14	PI-88788
F2	FS Hisoy HS 4366(RR)	4.3	3 14	PI-88788
F2	FS Hisoy FS 4426	4.4	3 14	PI-88788
F2	FS Hisoy HS 45T70	4.5	3 14	PI-88788
F2	FS Hisoy HS 4646 (RR)	4.6	3 14	PI-88788
F2	FS Hisoy HS 46R80	4.6	3 14	PI-88788
F2	FS Hisoy HS 4766	4.7	3 14	PI-88788
F2	FS Hisoy HS 48R70	4.8	3	PI-88788
G2	Gateway 4RS421	4.2	3 MR14	NSG
G2	Gateway 427	4.2	3 MR14	Peking
G2	Gateway 4R447	4.4	3 MR14	PI-88788
G2	Gateway 4RS455	4.5	MR3 14	PI-88788
G2	Gateway 4RS463	4.6	3 MR14	NSG
G2	Gateway 4RS477	4.7		PI-88788
G2	Gateway 471	4.7	MR3 MR14	NSG
G2	Gateway 4R487	4.8	MR3 14	PI-88788
G2	Gateway 4R485	4.8	3 MR14	NSG
G2	Gateway 4R483	4.8	3 MR14	NSG
G2	Gateway 4R495	4.9	3	PI-88788
G4	Great Heart GT-411 LLC	4.1	3 MR14	PI-88788
G4	Great Heart GT 419CRR	4.1	3 MR14	PI-88788
G4	Great Heart GT-420 C	4.2	MR3 MR14	PI-88788
G4	Great Heart GT-422 CRR	4.2	MR3	PI-88788
G4	Great Heart GT-438 CRR	4.3	MR3 MR14	PI-88788
G4	Great Heart GT-443 CRS	4.4	3 MR14	PI-88788
G4	Great Heart GT 462 CRR	4.6	3 MR14	PI-88788
G4	Great Heart GT-465 CLL	4.6	3	PI-88788
G4	Great Heart GT 467CRR	4.6	MR3 MR14	PI-88788
G4	Great Heart GT 474CRS	4.7	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
G5	Great Lakes GL 4019RR	4.0	3 MR14	PI-88788
G5	Great Lakes GL 4129RR	4.1	3 MR14	PI-88788
G5	Great Lakes GL 4519 RR	4.5	3	PI-88788
G5	Great Lakes GL 4569LL	4.5	MR3	PI-88788
G5	Great Lakes GL 4709RR	4.7	3 MR14	PI-88788
H3	Hoblit HB 401 NRR	4.0	3	PI-88788
H3	Hoblit HB 422 NRR	4.2	3 MR14	PI-88788
H4	Hornbeck HBK R4527	4.5	LR3	PI-88788
H4	Hornbeck HBK R4924	4.9	3 MR14	PI-88788
H5	Horizon H401N	4.0	3 MR14	PI-88788
H5	Horizon H 419N RR	4.1	3 MR14	PI-88788
H5	Horizon H422N RR	4.2	3 MR14	NSG
H5	Horizon H424 NRR	4.2	3 MR14	PI-88788
H5	Horizon H447N	4.4	3 MR14	PI-88788
H7	Hubner H 402 NRR	4.0	3 4	PI-88788
H7	Hubner H 418 NRR/STS	4.1	3 14	PI-88788
H7	Hubner H 426 NRR/STS	4.2	3 MR14	PI-88788
H7	Hubner H 438 NRR/STS	4.3	3	PI-88788
H7	Hubner H 454 NRR	4.5	3 MR14	PI-88788
H7	Hubner H 484 NRR	4.8	MR1 3	PI-88788
H7	Hubner H 488 NRR	4.8	3	PI-88788
H9	Hoffman H 41-08-CR	4.1	3 MR14	PI-88788
H9	Hoffman H 43-09-CR	4.3	3	PI-88788
H9	Hoffman H 445 STS	4.4	MR3 MR14	PI-88788
H9	Hoffman H 3444CR	4.4	3 MR14	PI-88788
H9	Hoffman H 3456CR	4.5	3	PI-88788
H9	Hoffman H 45-09-CR	4.5	3 MR14	PI-88788
H9	Hoffman H 4609-CR	4.6	3 MR14	PI-88788
K2	Kitchen KSC 4082	4.0	3	PI-88788
K2	Kitchen KSC 4266 CRR	4.2	3 14	PI-88788
K3	Kruger K-410RR/SCN	4.1	3	PI-88788
K3	Kruger K-417RR/SCN	4.1	3	PI-88788
K3	Kruger K-429RR/SCN	4.2	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
K3	Kruger K-433RR/SCN	4.3	3 MR14	PI-88788
K3	Kruger K-439RR/SCN	4.3	3	PI-88788
K3	Kruger K-476RR/SCN	4.7	3	PI-88788
K3	Kruger K-489RR/SCN	4.8	3	PI-88788
L2	Lewis 4009	4.0	MR3 MR14	PI-88788
L2	Lewis 4159	4.1	3 MR14	PI-88788
L2	Lewis 4207	4.2	3 MR14	PI-88788
L2	Lewis 4408	4.4		PI-88788
L2	Lewis 4729	4.7	MR3 MR14	PI-88788
L3	LG Seeds C 4110 NRR	4.1	3 MR14	PI-88788
L3	LG Seeds C 4105 N	4.1	MR3	PI-88788
L3	LG Seeds C 4209 NLL	4.2	MR3	PI-88788
L3	LG Seeds C 4330 NRR	4.3	3	PI-88788
L3	LG Seeds C 4488 NRR	4.4	3 MR14	PI-88788
L3	LG Seeds C 4740 NRR	4.7	3 14	PI-88788
M 4	Merschman Phoenix 940RR	4.0	3	PI-88788
M 4	Merschman Norfolk 741RR	4.1	3	PI-88788
M 4	Merschman Denver 742RR	4.2	3	PI-88788
M 4	Merschman Memphis 943RR	4.3	3	PI-88788
M 4	Merschman Santa Fe 945RR	4.5	3	PI-88788
M 4	Merschman Rocky RR	4.6	3	PI-88788
M 4	Merschman Houston 747RR	4.7	3	PI-88788
M 4	Merschman Dallas RR	4.8	3	PI-88788
M 4	Merschman Charleston 649RR	4.9	3	CystX
M 4	Merschman Miami 949LL	4.9	3	PI-88788
M 4	Merschman Richmond 649RR	4.9	3	PI-88788
M 4	Merschman Nashville749RR	4.9	3	PI-88788
M 5	MFA Morsoy RT 4126N	4.1	3 MR14	PI-88788
M 5	MFA Morsoy RT 4201N	4.2	3 MR14	PI-88788
M 5	MFA Morsoy RT 4327N	4.3	3 MR14	PI-88788
M 6	Midwest GR 4154	4.1	3 MR14	PI-88788
M 6	Midwest GR 5138	4.1	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
M 6	Midwest GR 4133	4.1	3 MR14	PI-88788
M 6	Midwest GR 4455	4.4	3 MR14	PI-88788
M 6	Midwest GR 4531	4.5	3 MR14	PI-88788
M 6	Midwest GR 4533	4.5	3 MR14	PI-88788
M 6	Midwest GR 4752	4.7	3 MR14	PI-88788
M 6	Midwest GR 4833	4.8	3 MR14	PI-88788
M 6	Midwest GR 4831	4.8	3 MR14	PI-88788
M11	Mycogen Atlas 5N411RR	4.1	3 MR14	PI-88788
M11	Mycogen Atlas 5N441RR	4.4	3 MR14	PI-88788
M11	Mycogen Atlas 5N461RR	4.7	3 MR14	PI-88788
M11	Mycogen Atlas 5N477RR	4.7	3 MR14	PI-88788
M12	Miles Abraham 4.0 N, RR	4.0	3 14	PI-88788
M12	Miles Lot 4.1 N, RR, STS	4.1	3 14	PI-88788
M12	Miles Jericho 4.2 N, RR	4.2	3 14	PI-88788
M12	Miles Michael 4.2 N, RR, STS	4.2	3 14	PI-88788
M12	Miles Benjamin 4.3 N	4.3	3 14	PI-88788
M12	Miles Silas 4.4, N, STS	4.4	3 14	PI-88788
M12	Miles Caleb 4.4 N, RR, STS	4.4	3 14	PI-88788
M12	Miles Aaron 4.5 N, STS	4.5	3 4	PI-88788
M12	Miles Eli 4.7 N, RR, STS	4.7	3 14	PI-88788
M12	Miles Rufus 4.7 N, RR, STS	4.7	3 14	PI-88788
M12	Miles Galilee 4.7 N, RR	4.7	3	PI-88788
M12	Miles Titus 4.8 N, RR	4.8	3 14	PI-88788
M12	Miles Dan 4.8 N, RR	4.8	3 14	PI-88788
M12	Miles Shiloh 4.9 N, LL	4.9	3	PI-88788
N1	NC+4A15RS	4.2	3 MR14	PI-88788
N1	NC+4A42RR	4.4	3 MR14	PI-88788
N1	NC+ 5A41RS	4.4	MR3 MR14	PI-88788
N1	NC+4A45RS	4.4	3 MR14	PI-88788
N1	NC+4A65RS	4.6	3 MR14	PI-88788
N1	NC+4A81RRSTS	4.8	3 MR14	PI-88788
N1	NC+4A82RS	4.8	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
N2	NK S41-R6 Brand	4.1	3 MR14	PI-88788
N2	NK S43-N6 Brand	4.3	3 14	PI-88788
N2	NK S 43-B1	4.3	3 MR14	PI-88788
N2	NK S44-D5	4.4	3 14	PI-88788
N2	NK S45-E5 Brand	4.5	3 14	PI-88788
N2	NK S46-V6 Brand	4.6	3 14	PI-88788 & Peking
N2	NK S47-D9 Brand	4.7	3 14	PI-88788
N2	NK S49-Q9	4.9	MR1 3 9 MR14	PI-88788
N2	NK S49-H7 Brand	4.9	MR1 3	PI-88788
N2	NK S49-W6 Brand	4.9	3	PI-88788
N3	NU-AG NA 446 N RR	4.4	3 MR14	PI-88788
N6	NuTech NT 7406S	4.0		PI-88788
N6	NuTech NT-7417S	4.1		PI-88788
N6	NuTech NT-7425S	4.2		PI-88788
N6	NuTech NT-7434S	4.3		PI-88788
N6	NuTech NT 7443	4.4		PI-88788
N6	NuTech NT 7476S	4.7		PI-88788
P 2	Pioneer 94Y01	4.0	3	PI-88788
P 2	Pioneer 94Y10	4.1	3	PI-88788
P 2	Pioneer 94Y21	4.2	3 MR14	PI-88788
P 2	Pioneer 94Y20	4.2	3	PI-88788
P 2	Pioneer 94M30 RR	4.3	3	PI-88788
P 2	Pioneer 94M40 RR/STS	4.4	3	PI-88788
P 2	Pioneer 94M50 RR	4.5	3	PI-88788
P 2	Pioneer 94Y60	4.6	3	PI-88788
P 2	Pioneer 94M71 RR	4.7	3 MR14	PI-88788
P 2	Pioneer 94Y70	4.7	3	PI-88788
P 2	Pioneer 94M80 RR	4.8	3 MR14	PI-88788
P 2	Pioneer 94Y80	4.8	3	PI-88788
P 2	Pioneer 94Y90	4.9	3	PI-88788
P 2	Pioneer 94Y91	4.9	3	PI-88788
P 3	Prairie Brand PB 4058NRRSTS	4.0	3 MR14	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
P 3	Prairie Brand PB 4157NRR	4.1	3	PI-88788
P 3	Prairie Brand PB 4298NRRSTS	4.2	2 MR14	PI-88788
P 7	Public Variety KS 4702 SP	4.6	3	PI-88788
P 9	Public Var., MO MPV 457- NRR	4.6	3	PI-88788
P10	Public Var., SIU LS93-0375	4.2	3 14	PI-88788
R4	Renze R 4439 SRcn	4.4	3	PI-88788
S 5	SS Coop RT 446 (RR)	4.4	3 14	NSG
S 6	Stewart SB 4249 STS	4.2	MR3 14	PI-88788
S 6	Stewart SB 4279 R	4.2	3 14	PI-88788
S 6	Stewart SB 4334 R	4.3	3	PI-88788
S 6	Stewart SB 4477 R	4.4	MR3 14	PI-88788
S 7	Steyer Seeds 4040 RR SCN	4.0	3 MR14	PI-88788
S 7	Steyer Seeds 4110	4.1	MR3	PI-88788
S 7	Steyer Seeds 4210	4.2	MR3 MR14	PI-88788
S 7	Steyer Seeds 4410 RR SCN	4.4	MR3 MR14	PI-88788
S 7	Steyer 4430 RR	4.4	3 MR14	PI-88788
S 7	Steyer Seeds 4620	4.6	MR3 MR14	PI-88788
S 7	Steyer 4710 RR	4.7	3	PI-88788
S 7	Steyer Seeds 4810	4.8	3	PI-88788
S 7	Steyer 4910 RR SCN	4.9	3	PI-88788
S 9	Stone 3B408 NRR	4.0	MR3	PI-88788
S 9	Stone 3A449 NRR/STS	4.4	3	PI-88788
S 9	Stone 2475 NRR/STS	4.7	MR3 MR14	PI-88788
S14	SC 9408	4.0	MR3	PI-88788
S14	SCS 9409	4.0	3	PI-88788
S14	SC 9419	4.1	3 MR14	PI-88788
S14	SCS 9448	4.4	3	PI-88788
S14	SC 9459	4.5	MR3	PI-88788
S14	SC 9468	4.6	3 MR14	PI-88788
S14	SCS 9479	4.7	3	PI-88788
S8	Stine 4020-4	4.0		PI-88788
S8	Stine 4182-4	4.1		PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
S8	Stine 4282-4	4.2		PI-88788
S8	Stine 4392-4	4.3		PI-88788
S8	Stine 4502-4	4.5		PI-88788
S8	Stine 4782-4	4.6	8	PI-88788
T2	Terral TV 45R18	4.4	1 5 14	PI-88788&Peking
T2	Terral TV 44R27	4.4	3 14	PI-88788
T2	Terral TV 45R14	4.5		NSG
T2	Terral TV 46R19	4.6	5 14	PI-88788&Peking
T2	Terral TV 46R15	4.6	1 3 14	PI-88788
T2	Terral TV 47R18	4.7	1 5 14	PI-88788&Peking
T2	Terral TV 47R17	4.7	3 14	PI-88788
T2	Terral TV 48R14	4.8	3	PI-88788
T2	Terral TV 49R17	4.9	3 14	PI-88788
T2	Terral TV 49R19	4.9	1 5 14	PI-88788&Peking
T2	Terral TV 49R27	4.9	3	PI-88788
T5	Trisler Trisoy 4184 RR (cn)	4.1	3 MR14	PI-88788
T5	Trisler Trisoy 4275RR(CN)	4.2	3 MR14	PI-88788
T5	Trisler Trisoy 4380(CN)	4.3	3 MR14	PI-88788
T5	Trisler Trisoy 4475RR(CN)	4.4	3 MR14	PI-88788
T5	Trisler Trisoy 4586 RR (cn)	4.5	3 MR14	PI-88788
T5	Trisler Trisoy 4760RR(CN)	4.7	3 MR14	PI-88788
T5	Trisler Trisoy 4788RR(CN)	4.7	MR3	PI-88788
T5	Trisler Trisoy 4984 RR(CN)	4.9	MR3	PI-88788
U2	USG 74A27	4.2	3 MR14	PI-88788
U2	USG 74H48	4.4	MR3	NSG
U2	USG 74B58	4.5	3 MR14	NSG
U2	USG 74A45	4.5	3 MR14	PI-88788
U2	USG 74E68	4.6	3 MR14	NSG
U2	USG 74D77	4.7	3	NSG
U2	USG 74A76	4.7	MR3 14	PI-88788
U2	USG 74F78	4.7	3	PI-88788
U2	USG 7473 nRR	4.7	MR2 5 6 9	NSG
U2	USG 74E88	4.8	3 MR14	NSG

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
U2	USG 74A88	4.8	3 MR14	PI-88788
U2	USG 7482nRR	4.8	3 MR14	PI-88788
U2	USG 7484nRR	4.8	MR3 14	PI-88788
U2	USG 7495nRS	4.9	3 MR14	PI-88788
U2	USG 7494nRR	4.9	3 14	PI-88788
U2	USG 74F96	4.9	MR3	PI-88788
U2	USG 74T98	4.9	MR3 MR14	NSG
W1	Wildy Excell 8427 NRR	4.2		NSG

Maturity Group: 5

A4	Asgrow AG 5301	5.3	MR3 5 14	PI-88788
A4	Asgrow DP 5414 RR	5.4	3	PI-88788
A4	Asgrow AG 5501	5.5	3 MR14	PI-88788
A4	Asgrow AG 5605	5.6	MR3 MR14	PI-88788
A4	Asgrow DP 5634 RR	5.6	1 3 MR5	Peking
A4	Asgrow AG 5803	5.8	3	PI-88788
A4	Asgrow DP 5808 RR	5.8	MR1 3	PI-88788
A4	Asgrow DP 5915 RR	5.9	3 MR14	PI-88788
A4	Asgrow AG 5905	5.9	3	PI-88788
A7	AGS 568 RR	5.6	3 9 14	NSG
B4	BoJac Mavrick 5504RR	5.0	3 MR14	PI-88788
B5	Bio Gene BG 5405 NRS	5.4	3 MR14	PI-88788
C4	Crows C 5015R	5.0	3 MR14	PI-88788
C4	Crow's C 5118 R	5.1	MR3 MR14	PI-88788
C4	Crows C 5417R	5.4	3 MR14	PI-88788
C4	Crow's C 5515 R	5.5	3 MR14	PI-88788
C9	Delta King 52K6	5.2	3 MR14	NSG
C9	Armor 53-Z5	5.4	MR3 MR2 MR14	PI-88788
C9	Delta King 5567	5.5	MR3	NSG
C9	Armor 55-A5	5.5	MR3	PI-88788
D8	Dyna-Gro V51N7RS	5.1	3	PI-88788
D8	Dyna-Gro 31R54	5.4	3	PI-88788
D8	Dyna-Gro V55N5RR	5.5	3 MR14	PI-88788
D8	Dyna-Gro 36N57	5.6	MR3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
D8	Dyna-Gro 33C59	5.9	MR1 MR3 14	PI-88788
D8	Dyna-Gro V59N8RR	5.9	3 MR14	PI-88788
D8	Dyna-Gro V59N6RR	5.9	MR3 MR14	PI-88788
E2	Excel 8509 NRR	5.0	3	PI-88788
E2	Excel 8512 NRR	5.1	3 4	Hartwig
E2	Excell 8520 NRR	5.3	3	PI-88788
G2	Gateway 5R531	5.3	MR3 14	NSG
G4	Great Heart GT-502CRR	5.0	3 14	PI-88788
H4	Hornbeck HBK R5226	5.2	MR3	PI-88788
H4	Hornbeck HBK R5425	5.4	3	PI-88788
H4	Hornbeck HBK R5525	5.5	MR3 14 14	PI-88788
H4	Hornbeck HBK R5825	5.8	MS3	PI-88788
H4	Hornbeck HBK C5894	5.8	MR3 6 MS14	NSG
H7	Hubner H 502 NRR	5.0	3 14	PI-88788
H7	Hubner H 558 NRR	5.5	3 14	PI-88788
H7	Hubner H 571 NRR	5.7	3	PI-88788
H7	Hubner H 588 NRR	5.8	3 14	PI-88788
M 4	Merschman Everest RR	5.3	3 MR14	PI-88788
M 4	Merschman Olympus 854RR	5.4	3 MR14	PI-88788
M 4	Merschman Rushmore 959RR	5.9	3	PI-88788
M 6	Midwest GR 5031	5.0	3 MR14	PI-88788
M 6	Midwest GR 5331	5.3	3 MR14	PI-88788
M 6	Midwest GR 5433	5.4	3 MR14	PI-88788
M 6	Midwest GR 5434	5.4	3 MR14	PI-88788
M 6	Midwest GR 5531	5.5	3 MR14	PI-88788
M11	Mycogen Atlas 5N521RR	5.2	3 MR14	PI-88788
M12	Miles Damascus 5.0 N, RR, STS	5.0	3 14	PI-88788
N1	NC+ 5A03RR	5.0	3 MR14	PI-88788
N1	NC+5A31RS	5.3	3 MR14	PI-88788
N1	NC+5A46RR	5.5	3 MR14	PI-88788
N2	NK S52-F2 Brand	5.2	3	PI-88788
N2	NK S53-A1 Brand	5.3	MR1 3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
N2	NK S56-D7	5.6	3 14	PI88788
N2	NK S57-P1	5.7	1 3 MR9 MR14	PI-88788 & Peking
N2	NK S59-B8 Brand	5.9	3	PI-88788
P 2	Pioneer 95Y01	5.0	3	PI-88788
P 2	Pioneer 95Y20	5.2	3	PI-88788
P 2	Pioneer 95M30 RR	5.3	3 MR14	PI-88788
P 2	Pioneer 95Y40	5.4	3	PI-88788
P 2	Pioneer 95M50 RR/STS	5.5	MR3	PI-88788
P 2	Pioneer 95M60 RR	5.6	1 2 3 5 14	Hartwig
P 2	Pioneer 95M80 RR	5.8	MR3 MR14	PI-88788
P 7	Public Variety KS 5004 N	5.0	3	Peking
P 7	Public Variety KS5306 NRR	5.3	2 3 4 14	Hartwig
P 7	Public Variety, KS 5502 N	5.5	1 3 4 14	Hartwig
P 7	Public Variety KS5507 NRR	5.5	2 3 4 14	Hartwig
P 9	Public Variety, MO Stoddard	5.1	MR1 2 3 5 14	Hartwig
P 9	Public Variety, MO MPV 5206RR	5.2	MR1 2 3 5 14	Hartwig
P 9	Public Variety, MO Anand	5.3	3 5 14	Hartwig
P 9	Public Variety, MO Jake	5.4	MR1 2 3 5 14	Hartwig
P16	Public Variety, Tenn. Anand	5.3	3 5 14	NSG
S 5	SS Coop RT 5450 N	5.4	3 14	Peking
S 7	Steyer 5210	5.2	MR3 MR14	PI-88788
S 7	Steyer Seeds 5300 RR SCN	5.3		PI-88788
S8	Stine 5020-4	5.0		PI-88788
S8	Stine 5420-4	5.4		PI-88788
S8	Stine 5482-4	5.5	8	PI-88788
T2	Terral TV 52R14	5.2	3 14	PI-88788
T2	Terral TV 52R28	5.2	1	PI-88788
T2	Terral TV 54R28	5.4	1	PI-88788
T2	Terral TV 55R15	5.5	1 3	PI88788&Peking
T2	Terral TV 57R16	5.7	1 3	PI-88788&Peking
T2	Terral TV 57R14	5.7	3 14	PI-88788
T2	Terral TV 59R16	5.9	1 3 14	PI-88788&Peking

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
T5	Trisler Trisoy 5484(CN)	5.4	3 MR14	PI-88788
U2	USG 75J18	5.1	3 MR14	PI-88788
U2	USG 7515nRS	5.1	3	PI-88788
U2	USG 75M16	5.1	3	NSG
U2	USG 75238	5.3	MR3	PI-88788
U2	USG 75J32	5.3	MR3 14	NSG
U2	USG 75J47	5.4	3 MR14	PI-88788
U2	USG 540nRR	5.4	MR3 14	NSG
U2	USG 7553nRS	5.5	MR3 14	NSG
U2	USG 7582NRR	5.8	3 MR14	NSG
U2	USG 75J97	5.9	3 MR14	PI-88788

Maturity Group: 6

A4	Asgrow DKB 64-51	6.4	3	PI-88788
A4	Asgrow DP 6568 RR	6.5	3 MR14	PI-88788
A4	Asgrow AG 6702	6.7	MR3	PI-88788
A7	AGS 606 RR	6.0	3 9 14	NSG
D8	Dyna-Gro V61N9RR	6.1	MR3	PI-88788
D8	Dyna-Gro V622NRR	6.2	3 MR14	PI-88788
D8	Dyna-Gro 34A66	6.6	MR3 MR14	PI-88788
N2	NK S61-Q2 Brand	6.1	3	PI-88788
N2	NK S74-W6	6.4	3 14	PI-88788
N2	NK S65-M3 Brand	6.5	3	PI-88788
N2	NK S68-D4 Brand	6.8	3	PI-88788
P12	Public Variety, SC Musen	6.9	3 14	PI-88788 & Peking
S 5	SS Coop SS 665N	6.6	3 14	PI-88788
S 5	SS Coop SS RT 6999N	6.9	3 14	PI-88788
S8	Stine 6202-4	6.2		PI-88788
U2	USG 76S17	6.1	3 MR14	PI-88788
U2	USG 620nRR	6.2	3 MR14	NSG
U2	USG 7635 nRR	6.3	3 MR14	NSG

Maturity Group: 7

A4	Asgrow H 7242 RR	7.4	3	PI-88788
A4	Asgrow AG 7501	7.5	3	PI-88788

Company Code:	Brand/Variety Name:	Maturity:	Race(s) of Nematode Resistance	Source of SCN Resistance
A4	Asgrow AG 7502	7.5	3	PI-88788
A7	AGS 758 RR	7.5	3 9 14	NSG
A7	AGS Benning	7.8	3	Peking
D8	Dyna-Gro V72N7RR	7.2	3 MR14	PI-88788
D8	Dyna-Gro 32R74	7.4	3 MR14	PI-88788
D8	Dyna-Gro 33Z74	7.4	MR3	PI-88788
D8	Dyna-Gro V76N9RR	7.6	3 MR14	PI-88788
N2	NK S73-Z5	7.3	3 MR14	PI-88788
N2	NK S76-L9	7.6	3 14	PI-88788
N2	NK S78-G6 Brand	7.8	MR1 3	PI-88788
P 2	Pioneer 98Y11	7.2	1 3	Peking
P 2	Pioneer 97M50 RR	7.5	3	Peking
U2	USG 77S27	7.3	3 MR14	PI-88788
U2	USG 7732nRR	7.3	3 MR14	NSG

Maturity Group: 8

A7	AGS Prichard	8.5	3 9 14	PI-88788 & Peking
A7	AGS Prichard RR	8.5	3 9 14	PI-88788 & Peking
N2	NK S80-P2 Brand	8.0	3	PI-88788
P12	Public Variety, SC Motte	8.8	3	Peking
P17	Public Variety, AL Kuell	8.7	3 14	PI-88788